## PUBLIC HEALTH REPORTS

**VOL. 37** 

**APRIL 21, 1922** 

No. 16

## CORRECTING PHYSICAL DEFECTS IN SCHOOL CHILDREN.

A STUDY OF THE RESULT OF THE CORRECTION OF CERTAIN PHYSICAL DEFECTS ON THE GROWTH AND DEVELOPMENT OF 146 SCHOOL CHILDREN IN BALTIMORE, MD.<sup>1</sup>

By Tallaferro Clark, Surgeon, and Elizabeth Bell, Assistant in School Hygiene, United States
Public Health Service.

#### INTRODUCTION.

Heretofore it has been considered almost an axiom that the correction of the hampering physical defects of children will be followed by an increase in the rate of growth as represented by height and weight, because it seems logical that this should be so. However, there has been no general attempt made to test this assumption in actual experience. The present study was undertaken for the purpose of attempting such a test, or rather as a beginning of such a test, in the hope that other workers might be stimulated to make similar observations. It is obvious, of course, that an accumulation of exact information regarding the effect of measures for the relief of the remediable physical defects most frequently observed in examinations of children of preschool and school age will be the most potent argument for their correction and will give additional assurance to parents of the necessity for such relief. Of even greater importance is the need of a scientific evaluation of preventive measures such as these; for it is believed that insufficient attention has been paid to the determination of the real efficacy of many of the preventive measures that have been proposed and practiced.

The present study is of interest not so much because of the results it affords for a limited number of children, but because it may suggest practicable and simple methods for making the necessary observations for determining whether or not a specific remedial measure actually has the hoped-for results. It should be regarded, therefore, as a preliminary inquiry.

<sup>&</sup>lt;sup>1</sup> From Field Investigations in Child Hygiene, United States Public Health Service. The statistical analysis of the results of this study was made in the Statistical Office of the United States Public Health Service.

## NUMBER OF CHILDREN AND TYPE OF DEFECTS.

In April, 1920, 200 children in Baltimore, from 7 to 14 years of age, were selected for corrective work, preceding a series of measurements of height and weight. It was planned to make measurements before corrective work and at intervals of a month succeeding corrections, except in the cases of removal of adenoids and tonsils, when the interval between measurements was to be two weeks. Table I shows the number of children having specified defects and various combinations of defects.

Table I.—Distribution of 200 children selected for corrective work, according to the nature of the defect.

Nature of defect.	Number of children having specified defects.
Adenoids, tonsils. Adenoids, tonsils, teeth. Adenoids, tonsils, teeth. Adenoids, tonsils, teeth, vision. Adenoids, tonsils, vision. Adenoids, tonsils, vision. Adenoids, tonsils, vision. Tonsils. Tonsils. Tonsils, teeth. Tonsils, teeth, vision. Tonsils, teeth, vision. Tonsils, teeth, vision, hearing. Tonsils, teeth, vision, hearing. Tonsils, teeth, vision, hearing. Teeth, vision, hearing. Teeth, vision, hearing. Vision. Vision, hearing. House. Total number of children.	16 2 1 10 12 15 2 3 2 1 70 7 11 3 11 3 5

### THE HOME AND SCHOOL ENVIRONMENT.

The 200 children were in two groups which were located in widely separated sections of the city. School No. 25, at Bond Street and Eastern Avenue, is in a part of the city that at one time was a good residential section but now has many factories, stores, and lumber yards. It is within a few blocks of the water front and a market. The large old houses are used as tenements, each house sheltering several families. Little attention is paid to bathtubs or to adequate toilets, and the supply of water is usually limited to one tap on each floor. The facilities for housekeeping are poor. Many homes have no gas, and only one has electric lights.

The schoolhouse is an old building with practically no playground; cars and a railroad siding are on the street. The building is in poor repair, the rooms are small and crowded, poorly ventilated and lighted.

There is a public bath opposite the school, used constantly by the children, and the city park with swimming pool is within easy access.

The other group, located at School No. 96, has a large modern building, in a good location; no cars pass the school; the streets are quiet and safe and are used as playgrounds to supplement a large sunny school yard. The heating and ventilating facilities for the building seem adequate; each room is well lighted, large, and not crowded. The neighborhood is one of modern two-story homes, one family in each house. Many families own their homes or are buying them. With few exceptions each house has a bath, many are lighted by electricity, and the small back yards are neat and well kept. The neighborhood adjoins open fields and woods and is altogether desirable as a residence section. There are several clothing factories, a button factory, and an abattoir in the neighborhood.

### RACE STOCK.

The larger number of children with foreign-born parents was found at School No. 25, but there were many homes at No. 96 where a foreign language was spoken exclusively in the home. Table II shows the distribution of the children according to ancestry.

Table II.—Distribution according to ancestry (racial stock) of children of 2 schools of Baltimore observed in this study.

Parents.	Both schools.	School No. 96.	School No. 25.
All race stocks	173	78	95
Both native white. Both Polish Both Italian Both Jewish (Russian) Both Austrian	73 23 14 32 7	50 15 1	23 23 14 17 6
Both German Both Hungarian Both Serbian Mixed parentage Unknown	1	1 1 4	5 3

#### NATURE OF CORRECTIONS.

Of the original group of 200 children 146 had corrections and were observed to the end of the year. However, only two groups (adenoid or tonsil corrections and teeth corrections), with a total of 132 children, were large enough to justify a study of the effect of the corrections on the height and weight. Table III shows the corrections made on these children.

TABLE III.—Corrections made on 132 children included in the tabulation for this study.

Nature of correction.	Tonsil- adenoid group.	Teeth group.
Number of children Total corrections Tonsils and adenoids. Teeth Glasses fitted. Ear treated	49 97 49 40 6	83 100 83 9
Phimosis	2	

The hernia, hearing, and vision groups were composed of so few children that no attempt was made to tabulate them.2

2 Of the 200 children originally selected, corrections were made on 154, and 146 of these remained in school to the end of the year for observation; but certain groups, such as those treated for hernia, hearing, and vision, were too small to justify the tabulation of results. On 46 children no corrections were made for the following reasons:

	Number of children.				
Reason for not making corrections.	Total. Boys.	Girls.			
Left school before any corrective work  Refused treatment Under physician's eare  Treated in clinics.	19 16 6 5	5 10 1 3	. 14 6 5 2		
Total	46	19	27		

On the remaining 154 children the following 261 corrections were made:

Nature of correction.	Number of cases corrected.
All cases corrected.  Defective teeth. Removal of adenoids and tonsils. Tonsils treated, no surgery necessary Adenoids removed. Hearing (ear treated). Hernia, no surgery.	49 12 . 2 26
Bronchitis. Vision, glasses fitted. Vision, no glasses needed. Phimosis.	2 26

Eight children left school immediately after corrections had been made. In addition to the 200 children selected for the remedial work, brothers, sisters, and schoolmates asked for corrective work, and whenever it was possible this was done. There were made in this group the following corrections:

24 cases dental corrections.

14 cases glass∈s fitted.

14 cases tonsils and adenoids removed.

1 case phimosis operation.

Four mothers went to the free clinics; three had glasses fitted; one had goiter removed.

One father had dental corrections made in the dental clinic.

There were 1,870 weights and measurements made, 255 visits to schools, 518 visits to homes, 410 visits to clinics and hospitals, 21 visits to welfare agencies, and 6 visits to physicians.

The helpful attitude of the principals of the schools and the cooperation of the class teachers were most gratifying. After an appeal to the Parent-Teacher Club at one school scales were purchased for the use of the school, and the mothers and teachers were anxious to have reports of measures and to talk over the condition of the children. At the other school scales were provided late in the year from funds remaining from Junior Red Cross activities in war work.

Physical defects were corrected in two teachers, the corrections being one for nose and throat and one for teeth.

#### HOW CORRECTIONS WERE MADE.

Nine of the tonsil operations were arranged for by the parents after arrangements for examination and admission to the hospital had been made. The other 36 operations for tonsils and two phimosis operations were made without expense to the parents. The city charities assumed expenses for 9 cases of tonsils and adenoid operations; 13 dental corrections were made by private dentists; 19 parents paid the cost of materials used in treatment in the clinics; and 94 cases were without expense to the parents. There was the heartiest cooperation from the hospitals. In some hospitals it was difficult to secure beds; but these institutions looked after the outpatients in their clinics (dental, ear, eye), and hospitals where beds could be secured for operative work were most generous in placing the children. The Franklin Street Ear, Eye, and Throat Infirmary. the Franklin Square Hospital, Johns Hopkins Hospital Free Dispensary, the Harriet Lane and the Henry Phipps Psychiatric Clinic, the Maryland Dental Infirmary, Mercy Hospital, the Presbyterian Eve. Ear, and Throat Infirmary, St. Agnes Hospital, and the University of Maryland Hospital (Children's Clinic and Dental Clinic). cooperated in making the corrections.

## SPECIAL PRECAUTIONS.

Arrangement was made whereby the children of this study were exempted from nutrition instruction and from any special hygiene other than the correction of their physical defects, as the Public Health Service purposed to secure the correction of these defects in order to determine the effect their removal might have upon the child's nutrition. No attempt to regulate food was made other than the usual directions given patients by the hospital worker. During the months of April, May, and June, 1921, milk was distributed in the schools at 4 cents a half pint. Few of the children (32) had the milk, as the price was prohibitive; and in no case was the milk provided at home during the holidays or on Saturdays and Sundays.

In November, 1919, when a large number of Baltimore school children were measured under the direction of Dr. E. V. McCollum, of Johns Hopkins University, and in January and February, 1920, when officers of the United States Public Health Service made the physical examinations of these same children, the fathers and many of the mothers were employed at high "war wages"; there was no question of having the money to buy food, although living prices were high. These conditions changed, and in May, 1920, at the time of the first corrective work, a garment-worker's strike left many homes with curtailed incomes. In the latter part of 1920 the un-

employment situation became acute. Many families were without regular incomes, while the living costs were still high. There was an actual shortage of food for some of the children; and in the families where an attempt had been made to invest the "war wages" by buying the home, the supply of food was limited. It is thus seen that, in addition to the deliberate failure of the investigators to adopt measures designed to promote the state of nutrition, in order better to evaluate the effect of the correction of certain hampering physical defects on growth and development, the children included in this study were subjected to unusual conditions which tended still further to strengthen the conclusions in respect-of the results of this study.

Of the 146 children on the school register in June, 1921, whose corrections had been made, 3 children advanced a year and a half in the school year, 134 children were promoted the usual school grade, and 9 failed of promotion. The children who were not promoted were given mental examinations. Two of the boys were decidedly below the intelligence level for their age, three girls were retarded and very slow, one girl of 9 years seemed to have reached her limit at a 6-year level, and one girl and two boys were of normal intelligence. Of these nine children who failed of promotion, six were already over age for their grade in school. Of the 146 defective children on whom corrections were made, 63 children, or 43 per cent, were over age for their grade and had repeated from one to four years prior to the time corrections were made.

## TONSIL AND ADENOID CORRECTIONS.

A total of 49 children who had tonsil or adenoid corrections were weighed and measured at varying intervals before and after the operation. The interval between the first measurement and the time of correction of the defect varied from 6 months to 17 months, and the interval between the correction and the last measurement varied from 1 month to 13 months. In addition to the tonsil and adenoid operations, 40 of these children had dental corrections, 7 had corrections of vision by being fitted with glasses or other treatment, and 2 had phimosis operations. It seemed reasonable, however, to assume that the tonsil and adenoid corrections in these cases were more important than the others, and so the increments in weight and height before this correction were compared with the corresponding increments after the tonsil or adenoid corrections, regardless of the time the other corrections were made.

Table IV shows by sex and age groups the gain in weight (pounds) per child per month and the gain in height (inches) per child per month for a period before and a period after the operation.<sup>3</sup>

The average is a weighted one, the gain in weight per month for each child being considered in proportion to the number of months he was under observation.

TABLE IV .- Average gain per month of 49 children with diseased tonsils or adenoids before and after the defects were corrected.1

		weight per (pounds).	month	Gain in height per month (inches).		
Age group.	Both sexes	Boys.	Girls.	Both sexes.		Girls.
7 to 10 years:						
Before correction	0, 219	0, 261	0.198	0, 159	0.177	0, 149
After correction	. 767	. 679	. 799	.277	.217	. 299
11 to 14 years:	i	1				
Before correction	. 439	. 313	.601	. 133	. 146	. 116
After correction	1.001	. 650	1.143	. 242	. 213	. 258
All ages:		1				
Before correction	. 295	. 286	. 301	. 149	. 162	. 141
After correction	. 891	. 676	.905	. 266	. 212	. 287

<sup>Data in this table are based on the following numbers of children:
10 boys, 7 to 10 years.
23 girls, 7 to 10 years.
7 boys, 11 to 14 years.
9 girls, 11 to 14 years.</sup> 

Owing to the relatively small number of children involved, it was not practicable to use single-year age groups, but two age groups were made, children 7 to 10 years being separated from those 11 to 14 years of age. Ages were calculated to the nearest birthday at the time of the operation.

It is realized that the rate of gain in weight and in height per month varies with the age of the child, and therefore the gain for a period before correction is not strictly comparable with the gain after correction, but the table is introduced as a rough indication of the differences observed in growth before and after the operation.

The 23 girls 7 to 10 years of age gained 0.198 pound per child per month before the operation, whereas after the correction the gain was 0.799 pound, approximately four times as much as before the operation. The difference was not so great for other groups but seems sufficient to be significant.

### RATE OF GROWTH OF A SPECIAL GROUP OF CHILDREN.

In order to make a more accurate comparison of the rate of growth before and after the corrections and to show the trend of the growth from month to month, a curve was constructed to show the average weight of certain groups of children for each month or half month for a period immediately before the corrections and for a corresponding period immediately following the corrections.

In order to do this, the calendar dates of the weighings were disregarded, and all weights at the time of correction were brought together and averaged. All weights one month after correction were averaged. Weights at other periods before and after correc-

<sup>49</sup> children.

tion were averaged in a similar way to make up a weight curve from six months before correction to six months after correction. order to do this, certain missing weights had to be supplied by interpolation. This was done on a straight line basis—that is, the assumption was made that a child gained or lost an equal number of pounds each month intervening between the actual known weights; for example, if he weighed 55 pounds one month and 57 pounds two months later, he was assumed to weigh 56 pounds the intervening month, the average of the two known weights. A group of 20 girls 7 to 10 years old who had height and weight records for six months preceding the operation and for six months following the operation were tabulated in this way. The resulting average weights, average heights, and the weight-height indexes for a period from six months before the operation to six months after the operation are shown in the first three columns (upper) of Table V. Similar averages were computed for groups of girls 11 to 14 years of age and for boys of similar age groups, although data were not available for the full six months after the operation in all cases. The averages for these groups are shown in the same table.

TABLE V.—Mean weight, mean height, and weight-height index of 43 children with defective tonsils or adenoids or both, for 6 months before and for 6 months after the operation to correct the defects.\(^1\)

		10 years at ie operatio		Ages 11–14 years at time of the operation.			
Time of measurement.	Mean weight (pounds).	Mean height (inches).	Weight- height index (pounds per inch of height).	Mean weight (pounds).	Mean height (inches).	Weight- height index (pounds per inch of height).	
	GIR	LS.				·	
6 months before operation	45,45	46.57	0.976	66.37	53, 87	1.23	
months before operation		46, 77	.979	66.78	54.00	1.23	
months before operation		46, 89	.981	67.46	54.05	1.24	
months before operation	46.17	46.09	.980	68.09	54.13	1.25	
months before operation	- 46.35	47.28	.980	68.78	54.24	1.26	
month before or eration	46.28	47.45	.975	69.47	54.35	1.278	
Fime of operation		47.63	.969	69.47	54.47	1.27	
month after operation		47.86	.968	70.47	54.90	1.28	
month after operation	47.32	48.28	.980	70.98	55.02	1.25	
1 months after of cration.	48.56	48.46	1:002	72.21	55.11	1.310	
months after operation		48.69	1.006	73. 29	55.32	1.32	
a months after operation.	49.36	48.89	1.010	73, 80	55, 51	1.329	
months after operation	49.91	49.01	1.018	74.45	55.61	1.33	
months after operation		49.09	1.025	74.73	55.69	1.34	
months after operation	50.70	49.19	1.031	75.09	55.84	1.34	
months after operation		49.25	1.036	76.22	55, 92	1.36	
months after or eration	51.39	49.39	1.040	76.75	56.00	1.370	
months after operation	51.54	49.45	1.042	77.81	56.12	1.387	
	52, 24	49.55	1.054	78.93	56.18	1.403	

Boys, total.
7 to 10 years.
11 to 14 years.

937 April 21, 1922.

Table V.—Mean weight, mean height, and weight-height index of 43 children with defective tonsils or adenoids or both, for 6 months before and for 6 months after the operation to correct the defects—Continued.

		10 years at ne operatio		Ages 11-14 years at time of the operation.		
Time of measurement.	Mean weight (pounds).	Mean height (inches).	Weight- height index (pounds per inch of height).	Mcan weight (pounds).	Mean height (inches).	Weight- height index (pounds per inch of height).
	воз	7S.	1.4			
6 months before operation. 5 months before operation. 4 months before operation. 3 months before operation. 2 months before operation. 1 month before operation. 1 month of operation. 1 month after operation. 1 month after operation. 2 months after operation.	47. 58 48. 25 48. 47 48. 67 49. 50 49. 39 48. 61 49. 03 49. 64 50. 44 50. 79 50. 81	47. 02 47. 21 47. 39 47. 61 47. 79 48. 01 48. 22 48. 38 48. 42 48. 56 48. 60 48. 75	1. 012 1. 022 1. 023 1. 022 1. 036 1. 029 1. 008 1. 013 1. 025 1. 039 1. 045	58. 68 58. 95 59. 27 59. 82 59. 41 60. 34 60. 30 60. 57 60. 83 62. 45 63. 70	51. 12 51. 27 51. 42 51. 53 51. 65 51. 73 51. 75 51. 96 52. 99 52. 45	1. 144 1. 156 1. 15. 1. 16. 1. 166 1. 166 1. 168 1. 199 1. 198
s months after operation If months after operation. I months after operation.	51.50 51.83 52.22	48. 86 48. 99 49. 28	1. 054 1. 058 1. 060	64. 11 64. 07	52. 52 52. 58	1. 22 1. 21

In Figures 1 and 2 the weights, the heights, and the weight-height indexes for each group have been plotted on logarithmic scales to show the trend of growth over the period involved. On the logarithmic scale equal distances vertically represent equal percentage increases, and therefore the disturbing factor due to the normal expected increase in the absolute gain in weight per month as the child grows older is eliminated. The steepness of the curve therefore indicates the rate of growth.

The weight in each age group seems to have increased considerably faster after the operation than before, except for the first half-month during which the child had probably not completely recovered from the effect of the operation. The effect on the height does not appear significant, but the weight-height index (weight per inch of height), which remained virtually the same in the 7 to 10 age group for the period preceding the operation, increased considerably after the operation.

In order to show more clearly the differences between the period before and the period after the operation, a straight line (on logarithmic paper) was put through the curve for each period independently by the method of least squares.<sup>4</sup>

Let y=weight and x=height. Then the equation for the line of equal percentage increase (straight line on logarithmic paper) would be y=abx, a and b being constants which are evaluated by the method of least squares from the actual weights and heights given in Table V. This equation gives a series of weights at the various heights which, plotted on logarithmic paper, forms a straight line which is the line of equal percentage increase.

This line represents the most probable straight line which could be fitted to the data. It must be remembered, however, that a straight line on logarithmic paper does not represent the line of equal increase in pounds or other unit of weight or height, but represents the line of equal percentage increase. It therefore be-




Fig. 1.

comes a matter of interest to compare this average percentage increase per month before the operation with the average percentage increase per month after the operation. Table VI compares these figures for the period before and the period after the operation.




Fig. 2.

Table VI.—Average percentage increase per month in weight, in height, and in the weightheight index for a group of 43 children with defective tonsils or adenoids or both, for 6 months before and 6 months after the operation to correct the defects.

Age group.	Percentage increase per month in—							
	Weight.		Height.		Weight-height index.			
	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.		
7 to 10 years:  Befere operation After operation	0. 27 2. 05	0. 47 1. 80	0. 37 . 62	0. <del>1</del> 2 . 49	a -0.12 1.41	0. 05 1. 29		
Before operation	. 84 1. 99	. 47 2. 04	. 18 . 48	. 21 . 46	. 67 1. 51	. 26 1. 56		

a Decrease.

Attention should be called to the difference between this table and Table IV, which shows the actual pounds and inches of increase per month. In Table VI the percentage of increase per month is shown, and the comparison between the two periods (before and after operation) becomes more legitimate because of the elimination of the fact of increasing weights and heights which would add to the actual pounds and inches of increase per month as shown in Table IV but would probably not add to the percentage increases per month. The fact that the expected or normal percentage of increase in children changes with age is not taken account of, but the total period involved is 12 months (or an average difference of 6 months), and the percentage of increase would not greatly change in this time except as the result of some exceptional event, such as, in these cases, the correction of a physical defect.

In practically all the groups the percentage increases per month in weight, height, and weight-height index are much larger after than before the correction of the defects. In the case of the weight of girls 7 to 10 years of age, the increase before the operation was only about one-fourth of 1 per cent per month, whereas after the operation it was over 2 per cent per month. Other groups show less striking differences, but all show substantial increases after the operation.

## CORRECTION OF DENTAL DEFECTS.

Table VII, giving data on 83 children with dental defects, shows by sex and age groups the gain in weight (pounds) per child per month and the gain in height (inches) per child per month for periods before correction and after correction.

TABLE VII.—Average gain per month of 85 children with defective teeth, before and after the defects were corrected.1

	Gain in	weight pe (pounds).	r month	Gain in height per month (inches).		
Age group.	The state of the s		Both sexes.	Boys.	Girls.	
7 to 10 years:						
Before correction	0. 333	0.353	0.319	0. 214	0. 228	0. 20
After correction	. 582	. 492	.603	. 210	.211	. 21
11 to 14 years:						
Before correction	. 590	. 449 . 765	.692	.200	. 178	. 21
After correction	. 811	. 765	. 856	. 193	. 288	. 15
All ages:						
Before correction	. 394	.374	. 408	. 212	. 217	.20
After correction	. 617	. 568	.649	.206	. 215	.20

<sup>1</sup> Data in this table are based on the following numbers of children:

In this table, time of operation was the designation for the time of the first extraction, filling, or prophylactic treatment. Intervals between the first measurements and the time of correction varied from 5 to 18 months before the operation, while the intervals between the corrections and the last measures varied from 1 to 14 months. In addition to their dental treatment, 9 children had defects of vision corrected by being fitted with glasses, and 8 children had nonsurgical treatment of the ear. The time these additional corrections were made was not considered in this study of the increase of weight and height.

The 38 girls 7 to 10 years of age gained 0.319 pound per child per month before correction and 0.603 pound per month after correction, while their gain in height was about the same for each period, 0.204 inch before and 0.210 inch after correction. 11 to 14 year-old group of girls and the boys 7 to 10 years gained more in weight per month in the five months succeeding correction than before correction but did not gain in height as much as before the operation.

### RATE OF GROWTH OF A SPECIAL GROUP OF CHILDREN.

Table VIII more accurately compares the rate of growth before and after the correction of dental defects. The data were recorded in the same way as that described in the case of corrections of adenoids and tonsils. The table shows the average weights, heights, and weight-height indexes for a period from five months before the correction to five months after for each group.

<sup>26</sup> boys, 7 to 10 years. 38 girls, 7 to 10 years. 8 boys, 11 to 14 years. 11 girls, 11 to 14 years.

<sup>83</sup> children.

TABLE VIII.—Mean weight, mean height, and weight-height index of 67 children with defective teeth, for 5 months before and for 5 months after correction of the defects was begun.

	Ages 7-10	) years at t operation		Ages 11-14 years at time of the operation.		
Time of measurement.	Mean weight (pounds).	Mean height (inches).	Weight- height index (pounds per inch of height).	Mean weight (pounds).	Mean height (inches).	Weight- height index (pounds per inch of height)
	GIRL	9.				
5 months before operation 4 months before operation 3 months before operation 2 months before operation 1 month before operation 1 month before operation 2 month after operation 2 months after operation 3 months after operation 4 months after operation 5 months after operation 6 months after operation 7 months after operation 8 months after operation 9 months after operation	46.63 46.80 47.11 47.64 48.33 48.97 49.84 50.25 50.48	47. 12 47. 34 47. 59 47. 89 48. 15 48. 52 48. 99 49. 20 49. 40 49. 59	0.986 .985 .983 .984 .989 .996 1.003 1.017 1.021 1.022 1.036	56. 76 56. 80 57. 65 58. 16 58. 68 58. 58 59. 96 62. 27 63. 58 63. 23 63. 81	51. 31 51. 64 52. 03 52. 22 52. 36 52. 67 52. 79 53. 04 53. 17 53. 31 53. 41	1, 10 1, 10 1, 10 1, 11 1, 12 1, 11 1, 13 1, 17 1, 19 1, 18 1, 19
	BOY	s.	•			<u> </u>
5 months before operation. 4 months before operation. 3 months before operation. 2 months before operation. 1 month before operation. 1 month after operation. 2 months after operation. 3 months after operation. 4 months after operation. 5 months after operation.	47. 67 48. 05 48. 25 48. 56 49. 04 49. 57 50. 55 51. 17 51. 92 52. 23	47. 58 47. 83 48. 07 48. 36 48. 61 48. 85 49. 12 49. 36 49. 50 49. 71 49. 88	1. 002 1. 005 1. 004 1. 004 1. 009 1. 015 1. 029 1. 035 1. 040 1. 044 1. 047	61. 54 61. 81 62. 60 63. 66 64. 46 65. 46 66. 51 67. 19 68. 89 69. 82 69. 57	53. 91 54. 30 54. 57 54. 78 54. 91 55. 25 55. 45 55. 46 55. 86 56. 13	1. 141 1. 138 1. 147 1. 162 1. 174 1. 185 1. 201 1. 212 1. 238 1. 250 1. 239
Data in this table are based on the follow Girls (total)		••••••			•••••••••••••••••••••••••••••••••••••••	32 6 29 22

Figures 3 and 4 show the weight, height, and weight-height index of the children with defective teeth, plotted on logarithmic scales to show the trend of growth over the ten months involved.

The fact that the corrective dental work in most cases extended over a period of time would tend toward a less clear-cut distinction between the period before and the period after the correction than in the case of the tonsil and adenoid operations. The time the correction of the defects was begun was taken as the dividing line, and in some cases the completion of the dental work was much later. But there are some differences which appear to be significant, par-

ticularly in the weight and weight-height index for girls in both age groups. In other cases the differences are small.

In order to show the differences more accurately, straight lines (on logarithmic paper) were fitted to the actual data in the manner




Fig. 3.

described in the discussion of the adenoid and tonsil cases. Table IX shows the percentage increase per month before and after the corrections in the same way as Table VI shows it for the adenoids and tonsils.




Fig. 4.

TABLE IX.—Average percentage increase per month in weight, in height, and in the weight-height index, for a group of 67 children with defective teeth, for 5 months before and 5 months after correction of the defects was begun.

•	Percentage increase per month in—							
Age group.	Weight.		Height.		Weight-height index.			
	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.		
7 to 10 years: Before operation. After operation.	0, 78 1, 17	0.75 1.00	0. 58 . <b>4</b> 3	0.53 .41	0.18 .74	0. 22 . 58		
11 to 14 years:  Before operation	. 76 1. 75	1.30 1.37	.50 .29	. <b>46</b> . 31	. 26 1. 46	. 85 1. 05		

## PHYSICAL DEFECTS AMONG 8,887 UNDERWEIGHT SCHOOL CHILDREN.<sup>1</sup>

Early in 1922 the medical inspectors of the department of health of Detroit completed the physical inspection of 8,887 school children who were found to be 15 per cent or more underweight according to the measurements made during September and October, 1921, on the school children of Detroit. This number found to be 15 per cent or more underweight is 7.9 per cent of the school children of Detroit.

Because of the great variations frequently met with in the reported prevalence of physical defects among school children, an effort was made to secure uniformity in reporting. In some instances, it was stated, 30 per cent of tonsillar defects had been reported for one school by one investigator, and only 5 per cent for another school a few blocks away by another investigator—a variation due to the difference in the interpretations of medical inspectors. In order to secure uniformity and therefore make records for different schools comparable, the department of health devised a simple plan of designating various degrees of defects, and arranged for the examiners to work in teams of three each. These men examined independently the same groups of children, reporting the defects found in terms of the definite graded scales, and they met at intervals to check up their independent work.

One physical defect or more was found among 6,662, or 74.9 per cent, of the 8,887 underweight children. No outstanding physical defect was found among 2,225, or 25.1 per cent.

The number of each of the more important defects per 1,000 children was given as follows:

<sup>&</sup>lt;sup>1</sup> Taken from the Weekly Health Review, Feb. 18, 1922, published by the Department of Health of Detroit.

	Number per 1,000 children.
Tonsils—enlarged or infected	
Defective teeth	227
Anemic	73
Faulty vision	93
Mouth breathing	92
Heart—abnormal (recommended for further more careful examination)	
Lungs—suspicious (recommended for further more careful examination)	
Defective hearing	20
Enlarged thyroid	29
Enlarged anterior cervical glands	.,. 11
Skin diseases	11
Orthopedic defects	6
Deformed palate	1

## VACCINATION HISTORIES OF SMALLPOX CASES, 1921.

The following table gives the vaccination histories of smallpox patients as reported to the Public Health Service by the State health officers. This information was furnished by eight States.

The total number of cases for which the histories were given was 22,944, of which 63.5 per cent had never been successfully vaccinated; 4.6 per cent had been vaccinated more than 7 years preceding the attack; 1.8 per cent had been vaccinated within 7 years of the attack; and in 30.1 per cent of the cases the vaccination status was not obtained or was uncertain.

Vaccination history of smallpox cases, 1921.

			v	s.		
State.	New cases re- ported.	Deaths.	Number vaccinated within 7 years pre- ceding attack.	Number last vacci- nated more than 7 years pre- ceding attack.	Number never suc- cessfully vaccinated.	Vaccination history not obtained or uncertain.
California. Florida Kansas Massachusetts Minnesota Montana New Mexico New York	5,554 1,361 4,627 37 9,177 1,474 110 604		48 27 118 2 179 6 9 20	339 22 154 13 464 35 1	5,115 461 1,982 17 5,077 1,416 55 443	52 851 2,373 5 3,457 17 45
Total	22,944		409	1,063	14,566	6,906

## SMALLPOX IN NOTTINGHAM, ENGLAND, IN 1921.1

Prior to February 16, 1921, no case of smallpox had been recorded in Nottingham since July, 1912. The first case during 1921, in an unvaccinated girl 20 years of age, had its onset about February 16. The infection was acquired in a northern town. The patient was removed to the isolation hospital, and there was no spread of the disease. The next case appeared May 22. It was suspected that the source of this infection was the Long Eaton outbreak, which was in progress at that time. Long Eaton is less than 7 miles from Nottingham, and communication between the towns is free and constant. From the middle of May, 1921, until the latter part of January, 1922, there occurred in Nottingham 112 cases.

The disease was of mild type, a large proportion of the cases being described as of the "alastrim" or western type; yet it is stated that from the same strain there developed other cases of normal unattenuated variety. Several cases were extremely severe, but there was no fatality.

The protection against the complaint afforded by vaccination is indicated in the following table, which shows the cases in age groups among the vaccinated and unvaccinated. It is stated that the somewhat extended period of protection is probably explained by the low infectivity of an attenuated virus.

Smallpox in Nottingham, February, 1921, to January, 1922—Cases among vaccinated and unvaccinated arranged in age groups.

	Vaccinated.					Unvaccinated.					
Under 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	Over 50.	Under 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	Over 50.
			9	5	7	50	25	12	2	1	2

All vaccinated persons attacked were over 30 years of age, whereas 87 out of 92, or 94.6 per cent, of the unvaccinated persons attacked were under 30 years of age.

It was stated that about half of the children of the city had been vaccinated and that none of those vaccinated contracted smallpox.

## HEALTH DEPARTMENT PRACTICE OF LARGE AMERICAN CITIES.<sup>2</sup>

The need of authentic information on the practice of municipal health departments of American cities has long been recognized. A

<sup>&</sup>lt;sup>1</sup> From a report by Philip Boobbyer, M. D., medical officer of health, city of Nottingham, in The Medical Officer for Apr. 1, 1922, p. 137.

<sup>&</sup>lt;sup>2</sup> First Report of the Committee on Municipal Health Department Practice of the American Public Health Association, presented at the annual meeting of the association in New York City, November, 1921. Reprinted from the American Journal of Public Health, Vol. XII, Nos. 1 and 2, January and February, 1922.

great variety of procedures exists; the organization of health departments differs widely in different communities; the amount of money per capita spent on different branches of public-health work varies; and in other respects few standards are available for health officers who would pattern their departments after the best practice of American cities in order to achieve the best results.

In 1920 a committee was appointed by the American Public Health Association to carry out surveys and collect data on the current methods in large cities. The Metropolitan Life Insurance Co., the American Red Cross, and the United States Public Health Service cooperated in the work, which was done during 1920 and 1921. The committee consisted of the following members:

Prof. C.-E. A. Winslow (chairman), New Haven, Conn.

Dr. Charles V. Chapin, Providence, R. I.

Dr. Wade H. Frost, Washington, D. C.

Dr. Donald B. Armstrong, Framingham, Mass.

Dr. Allen W. Freeman, Columbus, Ohio.

Dr. Lewis R. Thompson, Washington, D. C.

Dr. Louis I. Dublin (secretary), New York City, N. Y.

The inquiry was limited to cities having a population of 100,000 or over according to the census of 1920, although a few smaller cities, in which the health activities justified it, were included. The survey covers a total of 83 cities.

The committee presents a summary of its findings under the following main divisions:

I. The Health Board and the Health Officer.

II. Expenditures of Health Departments.

III. Control of Communicable Diseases.

IV. Tuberculosis.

V. Venereal Diseases.

VI. Infant Hygiene.

VII. School Medical Inspection.

VIII. Industrial Hygiene.

IX. Special Clinics.

X. Public Health Nursing.

XI. Public Health Laboratory.

XII. Milk Inspection.

XIII. Food and Drug Inspection.

XIV. Sanitary Inspection and Sanitation.

XV. Water Supply.

XVI. Sewerage and Sewage Disposal.

XVII. Publicity and Public Health Education.

XVIII. Vital Statistics.

The section on control of communicable diseases reports under the following heads: (1) Organization; (2) Notification; (3). Investiga-

tion and verification of cases; (4) Isolation; (5) Hospitalization; (6) Placarding; (7) Isolation period; (8) Terminal disinfection; (9) Control of contacts.

A striking feature in regard to the control of communicable diseases is the diversity of practice which leads to completely different methods of isolating the same disease in different communities. Hospitalization of communicable diseases is relatively incomplete in most cities. Two-thirds of the cities reporting still practice terminal fumigation, and many of the cities do not use available cultural methods for control of contacts.

As regards notification, typhoid fever, diphtheria, smallpox, scarlet fever, epidemic cerebrospinal meningitis, and poliomyelitis are reportable in all of the 83 cities. Mumps is not reportable in 4 cities, chicken pox is not reportable in 2, influenza not reportable in 5, pneumonia not reportable in 9, and malaria not reportable in 20 cities. Hookworm disease appears to be reportable in all of the southern cities but 4. The reporting of cases of tuberculosis is still exceedingly lax. Out of 66 cities for which data were secured on this point, 9 report less than 1 case per annual death, 28 report between 1 and 2 cases per death, 20 between 2 and 3 cases per death, and 9 more than 3 cases per death annually. It is stated that the best cities in this regard are Chicago, Flint, and Schenectady, with 4.1, 4.4, and 4.8 cases per death, respectively.

The information contained in this preliminary report of the committee should be of interest to all municipal health officers. The pamphlet may be had from the American Public Health Association for 20 cents a copy. A more complete report is to be published in book form and will be issued sometime during the latter part of 1922.

### COURT DECISIONS.

### TEACHER ENTITLED TO SALARY WHEN SCHOOL IS CLOSED DURING EPIDEMIC.

The Supreme Court of Illinois has decided that where a school was closed by order of the State board of health on account of an influenza epidemic a teacher may recover her salary for the time during which the school was closed, the teacher being ready, able, and willing to teach and there being no provision in the contract covering such a contingency.

In this connection reference is made to the note on the case of Gregg School Tp., Morgan County v. Hinshaw, 132 N. E. 586, published in the Public Health Reports of February 3, 1922, page 240.

<sup>&</sup>lt;sup>1</sup> Phelps v. School Dist. No. 109, Wayne County, 134 N. E. 312.

#### GEORGIA LAW REGULATING BARRERS HELD CONSTITUTIONAL.

The act regulating the occupation of barbers (Laws' 1914, p. 75) as amended (Laws 1920, p. 109) has been held constitutional by the Supreme Court of Georgia.

The act was attacked on the following grounds: (1) That it discriminated between persons engaged in the trade of barbering and persons engaged in other trades involving manual labor; (2) that it violated the provision of the State constitution requiring laws of a general nature to operate uniformly throughout the State because it was applicable only to barbers in cities or towns having populations in excess of 5,000 inhabitants; (3) that it violated both the State and Federal Constitutions relative to the equal protection of the laws in that it exempted from its provisions barbers engaged within the State at the date of its approval and who had been practicing their trade for three years prior to its approval and permitted such barbers to continue their occupations by making an affidavit of these facts and paying the sum of \$2, while persons who had learned to practice such occupation without the State were required to pay the sum of \$5 and to submit to an examination; and (4) that the classification of the towns and cities provided in the act had no reasonable relation to the subject matter of the act and was arbitrary and capricious. The supreme court rejected all of these contentions.

## DEATHS DURING WEEK ENDED APRIL 8, 1922.

Summary of information received by telegraph from industrial insurance companies for week ended April 8, 1922, and corresponding week, 1921. (From the Weekly Health Index, April 11, 1922, issued by the Bureau of the Census, Department of Commerce.)

	Week ended Apr. 8, 1922.	Corresponding week, 1921.
Policies in force	48, 931, 741	46, 605, 524
Number of death claims	10, 113	9, 592
Death claims per 1,000 policies in force, annual rate	10.8	10. 8

<sup>&</sup>lt;sup>1</sup>Cooper et al. v. Rollins et al., 110 S. E. 726.

951 April 21, 1922.

Deaths from all causes in certain large cities of the United States during the week ended April 8, 1922, infant mortality, annual death rate, and comparison with corresponding week of 1921. (From the Weekly Health Index, April 11, 1922, issued by the Bureau of the Census, Department of Commerce.)

•	Washing and		ended 3, 1922.	Annual death rate per	Deaths under 1 year.		Infant mor- tality	
City.	Estimated population July 1, 1921.	Total deaths.	Death rate.1	1,000, corre- sponding week, 1921.	Week ended Apr. 8, 1922.	Corresponding week, 1921.	rate, week ended Apr. 8, 1922.2	
Total	27, 356, 942	7, 585	14. 5	13. 6	1,098	1,021		
Akron, OhioAlbany, N. Y	* 208, 435 115, 071	34 45	8. 5 20. 4	8.9 20.8	13 6	4	138	
Atlanta, Ga.	4 220, 047	75	17.8	15.3	10	9	135	
Baltimore, Md	750, 864	226	15.7	15.5	23	30	65	
Birmingham, Ala	186, 133 757, 634	46 253	12.9 17.4	16.0 15.6	5 42	7 29	112	
Bridgeport, Conn.	* 143, 555	30	10.9	13. 2	6	9	75	
Buffalo, N. Y.	519, 608	179	18.0	14.5	39	27	153	
Cambridge, Mass	110,444	23 40	10.9	9.9	4 9	4	73	
Albany, N. Y Atlanta, Ga Baltimore, Md. Birmingham, Ala Boston, Mass. Bridgeport, Conn Buffalo, N. Y Cambridge, Mass Camden, N. J Chicago, III Chicago, III Chicago, III Chicago, Ohio Cleveland, Ohio Columbus, Ohio Dallas, Tex	119, 672 2, 780, 655 403, 418	729	17. 4 13. 7	13.9 11.7	129	5 95	138	
Cincinnati, Ohio	403, 418	124	16.0	14.6	15	10	100	
Cleveland, Ohio	831, 138	186 79	11.7 16.8	12. 2 13. 8	33	25 7	· 85	
Dallas, Tex	245, 358 165, 282	41	12.9	15.5	8 4	6	84	
Dayton, Ohio	* 152, 559	43	14.7	8.6	3	4	51	
Denver, Colo	263, 152	89	17.6	16.2	5	10	 87	
Fall River, Mass	1,070,450 120,668	244 30	11.9 13.0	11.1 15.1	45 6	52 7	84 84	
Fort Worth, Tex	111, 423 141, 197 144, 340	21	9.8		1			
Grand Rapids, Mich	141, 197	43 28	15.9	10.0 14.8	10 2	- 6	167	
Indianapolis Ind	325, 632	96	10. 1 15. 4	14.6	12	11 10	91	
Jersey City, N. J.	325, 632 302, 788	81	13.9	17.6	16	16	102	
Columbus, Ohio Dallas, Tex.  Dayton, Ohio Denver, Colo Detroit, Mich. Fall River, Mass. Fort Worth, Tex. Grand Rapids, Mich. Houston, Tex. Indianapolis, Ind. Jersey City, N. J. Kansas City, Kans. Kansas City, Kans. Kansas City, Mo.	103,884	27	13.6	13.6	3 11	2 9	69	
Kansas City, Mo. Los Angeles, Calif. Louisville, Ky. Lowell, Mass. Memphis, Tenn. Milwaukee, Wis. Minneapolis, Minn. Nashville, Tenn. New Bedford, Mass.	336, 157 614, 160	116 179	18.0 15.2	13.5 14.8	22	13	91	
Louisville, Ky	236, 083	59	13.0	15.0	9	3	97	
Lowell, Mass	113, 757 165, 656 468, 386 392, 815 122, 036	19 34	8. 7 10. 7	14. 2 15. 7	7	8 7	118	
Milwaukee. Wis	468, 386	126	14.0	11.9	21	29	103	
Minneapolis, Minn	392, 815	101	13.4	12.9	11	9	60	
Nashville, Tenn	122,036	34 32	14. 5 13. 3	18.4 12.5	3 11	6 4	164	
New Haven, Conn.	125, 012 167, 007	50	15.6	15.9	8	4	98	
New Orleans, La	394, 657	140	18.5	17.4	17	23		
New York, N. Y	5, 751, 867	1,619 108	14. 7 13. 3	13.0 12.5	210 14	224 13	81 62	
Norfolk. Va.	424, 885 121, 260	20	8.6	10.3	4	3	71	
Oakland, Calif	226, 472	51	11.7	9.9	3	9	38	
Omaha, Nebr	197,066	60 36	15. 9 13. 7	19. 1 19. 7	10 3	9 7	108 46	
Philadelphia. Pa	226, 472 197, 066 137, 463 1, 866, 212 602, 452	536	15.0	13.9	<b>7</b> 0	84	83	
Pittsburgh, Pa	602, 452	198	17. 1	17.9	37	28	118	
Providence P I	264, 859 239, 645	62   75	12. 2 16. 3	11. 4 13. 5	6 14	4 7	59 111	
Richmond. Va.	175, 686	69	20. 5	14.8	13	4	158	
Rochester, N. Y	175, 686 305, 229	97 1	16.6	11.6	16	6	123	
St. Louis, Mo	786, 164 237, 781 121, 595	217	14. 4 12. 7	10.7 11.2	33 6	12 3	56	
Salt Lake City. Utah	121, 595	58   30	12.9	11.1	6	3	89	
San Francisco, Calif	520, 546 315, 312	142	14.2	18.4	3	10	17	
Seattle, Wash	315, 312	62   27	10.3 13.5	11.8 14.0	14	9	118 43	
Springfield, Mass	104, 442 135, 877	29	11.1	13.0	2 4	6	60	
Syracuse, N. Y	177, 265	52	15.3	10.9	9	5	108	
Toledo, Ohio	253, 696	61	12.5	15. 2 11. 9	7	18	68 61	
Washington, D. C.	122, 760 437, 571	43 123	18.3 14.7	14.8	16	20	92	
Wilmington, Del	113, 408	30	13.8	13.8	5	9	97	
New Bedford, Mass. New Haven, Conn. New Orleans, La New York, N. Y Newark, N. J Norfolk, Va. Oakland, Calif. Omaha, Nebr. Paterson, N. J Philadelphia, Pa Pittsburgh, Pa Pittsburgh, Pa Portland, Oreg. Providence, R. I Richmond, Va. Rochester, N. Y St. Louis, Mo. St. Paul, Minn Salt Lake City, Utah San Francisco, Calif. Seattle, Wash Springfield, Mass Syracuse, N. Y Toledo, Ohio Trenton, N. J Washington, D. C Wilmington, Del Worcester, Mass Yonkers, N. Y	184, 972 103, 324	57 21	16.1	19. 2   17. 7	12	9 7	130 146	
TIMESTS, IV. I	103, 324	21	10.6	11.1	•		140	

<sup>&</sup>lt;sup>1</sup> Annual rate per 1,000 population.

<sup>2</sup> Deaths under 1 year per 1,000 births—an annual rate based on deaths under 1 year for the week and estimated births for 1921. Cities left blank are not in the registration area for births.

<sup>8</sup> Enumerated population Jan. 1, 1920.

<sup>4</sup> Estimated population July 1, 1922.

## PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

## UNITED STATES.

## CURRENT STATE SUMMARIES.

## Telegraphic Reports for Week Ended April 15, 1922.

These reports are preliminary, and the figures are subject to change when later returns are received by the State health officers.

(no state nearth o				
	ALABAMA. C	ases.	CALIFORNIA.	Cases.
Chicken pox		. 43	Diphtheria	
Diphtheria		. 4	Influenza.	
Dysentery		. 2	Lethargic encephalitis—Los Angeles	
Hookworm diseas	se	. 35	Measles	
Influenza:			Poliomyelitis—Pasadena	
Barbour Cour	n <b>ty</b>	. 24	Scarlet fever.	
Houston Cour	nty	. 20	Smallpox	
Marion Count	y	. 19	Typhoid fever	
Pike County.		. 21		
Scattering		. 19	COLORADO.	
Malaria		. 12	(Exclusive of Denver.)	
Measles		. 10	· · ·	
Pellagra		. 2	Chicken pox	
Pneumonia		. 9	Diphtheria	. 23
Scarlet fever		. 1	Influenza.	
Smallpox:			Measles	
Mobile		. 24	Mumps	
Scattering		. 6	Pneumonia	
Tetanus		. 1	Scarlet fever	
Tuberculosis		. 8	Smallpox	
Typhoid fever		. 6	Trachoma	
Whooping cough.		. 1	Tuberculosis	. 328
	ARKANSAS.		CONNECTICUT.	
Chicken pox		. 27	Cerebrospinal meningitis	. 3
Diphtheria		. 1	Chicken pox	. 35
Influenza		115	Conjunctivitis (infectious)	
Malaria		. 57	Diphtheria:	
Measles		19	Bridgeport	. 10
Pellagra		. 9	Scattering.	. 39
Scarlet fever		4	German measles.	
Smallpox		4	Influenza	. 287
Trachoma		. 1	Lethargic encephalitis	. 4
Tuberculosis		12	Measles:	
Typhoid fever		4	Bridgeport	. 13
			Darien	
		(9	52)	

(952)

connecticut—continued.	,	rllinois—continued.	
Measles—Continued. Ca	ses.	Ca	ises.
Hartford	51	Influenza	. 57
New Haven	. 37	Lethargic encephalitis:	
New London		Chicago	. 2
Norwich		Scattering.	. 2
Stamford		Pneumonia.	
West Hartford		Scarlet fever.	
Windsor		Smallpox.	39
Scattering	39 52	Typhoid fever. Whooping cough	100
Pneumonia (lobar)		whooping cough	100
Scarlet fever:	. 02	INDIANA.	
New Haven	10	Corobrospinol manipulation	
Scattering		Cerebrospinal meningitis: St. Joseph County	1
Smallpox		Vigo County	2
Tuberculosis (all forms)	30	Diphtheria	30
Typhoid fever	2	Rabies in animals:	00
Whooping cough	31	Green County	1
DELAWARE.		Putnam County	1
Chicken pox		Scarlet fever	59
Diphtheria		Smallpox	31
Influenza	2	Typhoid fever	4
Malaria	3	20074	
Measles	2 2	IOWA.	
Pneumonia	-		
Wilmington	41	Scarlet fever	32
Scattering	14	Smanpox	16
Tuberculosis	11	Kansas.	
Whooping cough	1	Conchronnius I maninateir	_
FLORIDA.		Cerebrospinal meningitis	2
Cerebrospinal meningitis	1	Diphtheria	56 27
Diphtheria	18	Influenza.	27
Influenza.	13	Measles.	10
Malaria.	8	Mumps	32
Pneumonia	47	Pneumonia	11
Pollomyelitis	1	Scarlet fever	61
Scarlet fever	2	Smallpox	20
Smallpox	16	Tetanus	2
Trachoma	1	Trachoma	2
Typhoid fever	8	Tuberculosis	43
GEORGIA.		Typhoid fever	3
Chicken pox	20	Whooping cough	15
Diphtheria	2	LOUISIANA.	
Dysentery (amebic)	1	Diphtheria	12
Dysentery (bacillary)	2	Influenza.	83
Hookworm disease	1	Measles	9
Influenza	77	Searlet fever	5
Measles.	25	Smallpox	31
Mumps.	10	Typhoid fever	16
Pneumonia	16	M A TOTAL	
Scarlet fever	8	MAINE.	
Septic sore throat	2	Chicken pox	2
Smallpox	22	Diphtheria	6
Tetanus	1	Influenza	4
Tuberculosis (all forms)	7	Measles	1
Typhoid fever	7	Mumps	2
Whooping cough	1	Ophthalmia neonatorum  Paratyphoid fever	1
ILLINOIS.	- 1	Pneumonia.	3
Cerebrospinal meningitis	2	Scarlet fever.	12
Diphtheria:	-	Smallpox.	1
Chicago1	113	Tuberculosis	5
O-Attacks	74	Membaid famor	9

MARYLAND.1		missouri—continued.	
Cerebrospinal meningitis	1 ses.	C	ases.
Chicken pox		Smallpox Trachoma	9
Diphtheria		Tuberculosis	
Dysentery		Typhoid fever	2
German measles		Whooping cough	17
Influenza	204		
Malaria	1	MONTANA.	
Measles		Diphtheria	
Mumps		Influenza	. 9
Pneumonia (all forms)		Scarlet fever	12
Scarlet fever		Smallpox Typhoid fever	13 2
Tuberculosis			•
Typhoid fever.		NEBRASKA.	
Whooping cough.		Chicken pox	17
		Diphtheria	14
Massachusetts.		German measles	2.
Cerebrospinal meningitis	3	Influenza	
Chicken pox	104	Measles:	
Conjunctivitis (suppurative)		Knox County	11
Diphtheria		Lincoln	
Dysentery	1	Omaha	22
German measles	23 66	Scattering	25 9
InfluenzaLethargic encephalitis	14	Scarlet fever	
Measles		Smallpox	5
Mumps.		Whooping cough	í
Ophthalmia neonatorum			
Pneumonia (lobar)		NEW JERSEY.	
Scarlet fever	182	Cerebrospinal meningitis	2
Septic sore throat	2	Chicken pox	
Trachoma	3	Diphtheria	
Tuberculosis (all forms)	180	Influenza	
Typhoid fever	104	Malaria	746
	101	Pneumonia.	
MINNESOTA.		Poliomyelitis	1
Chicken pox	9	Scarlet fever	256
Diphtheria	34	Trachoma	1
Influenza	79	Typhoid fever	
Pneumonia	5	Whooping cough	73
Scarlet fever	- 1	NEW MEXICO.	
Smallpox	43	Chicken pox	3
Tuberculosis	135	Conjunctivitis	4
Typhoid fever	1	Diphtheria	12
Whooping cough	4	Influenza	192
MISSISSIPPI.	- 1	Measles	1
Diphtheria	8	Mumps	1
Poliomyelitis	1	Ophthalmia neonatorum Pneumonia	2
Scarlet fever	2	Scarlet fever.	18 6
Smallpox	9	Trachoma	2
Typhoid fever	7	Tuberculosis	
MISSOURI.		NEW YORK.	
Cerebrospinal meningitis	2		
Chicken pox	25	(Exclusive of New York City.)	
Diphtheria	53	Anthrax	1
Influenza	44	Cerebrospinal meningitis	1
	29	Diphtheria	
•	21	Influenza	
	24	Lethargic encephalitis	5
Scarlet fever	42	Measles	)Lä
<sup>1</sup> Week ended Friday.		-	

<sup>1</sup> Week ended Friday.

NEW YORK—continued.	ı	VERMONT.	-
Pag	-		age.
Pneumonia 4		Chicken pox	
Poliomyelitis	3	Diphtheria	1
Scarlet fever		Influenza	
Tetanus	1	Measles	
•••	24	Mumps	
Whooping cough	82	Pneumonia.	8
NORTH CAROLINA.		Scarlet fever	30
Ottobarra	_	Whooping cough.	15
Chicken pox	- 1	WASHINGTON.	
•	29	Chicken pox	50
German measles	1 38	Diphtheria:	50
	25	Prosser	18
Septic sore throat	1	Scattering	19
-	32	German measles	1
-	12	Lethargic encephalitis—Seattle.	1
Whooping cough 2		Measles	4
whooping cough	ا س	Mumps	35
OREGON.		Pneumonia	1
Cerebrospinal meningitis	1	Scarlet fever.	19
<del>-</del>	14	Smallpox:	10
Diphtheria:	14	Spokane	15
<del>-</del>	8	Scattering.	26
	5	Tuberculosis.	13
	3	Whooping cough.	37
	2		01
	7	WEST VIRGINIA.	
•	i	Diphtheria	8
	13	Influenza.	32
	4	Scarlet fever.	17
Smallpox:	- 1	Smallpox	3
Portland 1	15	Typhcid fever	3
	5	WISCONSIN.	
Tuberculosis	11	Milwaukee:	
Typhoid fever	1	Cerebrospinal meningitis	2
Whooping cough	3	Chicken pox	19
OCTIVITY DAVIGE	- 1	Diphtheria	10
SOUTH DAKOTA.	- 1	German measles	2
Cerebrospinal meningitis.	1	Influenza	2
Chicken pox	7	Measles	4
Diphtheria	0	Pneumonia	10
Influenza 1	0	Scarlet fever.	4
Measles	3	Tuberculosis	8
Pneumonia 10	0	Typhoid fever	1
Scarlet fever	3	Whooping cough	54
Smallpox 1	1	Scattering:	
Tuberculòsis	_	Chicken pox	72
Whooping cough.	1	Diphtheria	54
TEXAS.	- 1	German measles	
		Influenza.	
Chicken pox	- 1	Mcasles Pneumonia	19
Diphtheria 93 Influenza 113		Scarlet fever.	8 85
Measles 119		Smallpox	36
Pneumonia. 34	- 1	Trachoma	30 5
Scarlet fever.	٠,	Tuberculosis	3 46
Smallpox. 28	- 1	Typhoid fever.	8
Typhoid fever	1	Whooping cough.	41
	- 1	moderne consultation	
<sup>1</sup> Deaths.			

## Delayed Reports for Week Ended April 8, 1922.

COLORADO.			age.
(Exclusive of Denver.)	Page.	Diphtheria	. 15
Chicken pox	15	Influenza	. 800
Diphtheria	19	Scarlet fever.	
Influenza	21	Smallpox.	
Measles	. 2	Typhoid fever	. 5
Mumps	2	MAINE.	
Pneumonia	. 31	Chicken pox.	11
Scarlet fever	. 34	Diphtheria	
Septic sore throat	. 1	German measles	
Smallpox	. 4	Influenza.	
Tuberculosis	. 33	Measles.	
Typhoid fever		Paratyphoid fever	
Whooping cough	. 2	Pneumonia.	
DISTRICT OF COLUMBIA.		Scarlet fever.	
	40	Tuberculosis	
Chicken pox		Typhoid fever	
Diphtheria		Whooping cough	
Influenza		,	_
Lethargic encephalitis			
Measles			
Scarlet fever	-		
Smallpox			
Tuberculosis			
Whooping cough	. 4	1	

## SUMMARY OF CASES REPORTED MONTHLY BY STATES.

The following summary of monthly State reports is published weekly and covers only those States from which reports are received during the current week.

State.	Cerebrospinal meningitis.	Diphtheria.	Influenza.	Malaria.	Measles.	Pellagra.	Poliomyelitis.	Scarlet fever.	Smallpox.	Typhoid fever.
Arkansas (March, 1922). Connecticut (March, 1922). Florida (March, 1922) Massachusetts (March, 1922) Montana (December, 1921). Montana (January, 1922). Montana (February, 1922). Nebraska (March, 1922). New York (March, 1922). North Dakota (January, 1922). Vermont (March, 1922). West Virginia (January, 1922). West Virginia (March, 1922). Wisconsin (March, 1922). Wisconsin (March, 1922). Wyoming (January, 1922).	14 1 14 14 6 4 2 50	27 271 74 718 58 52 48 7, 809 67 12 245 131 239 28	2,580 1,680 307 1,647 3 9 437 699 7,737  58 549 2,178 2,306 17		28 776 40 2,657 14 10 14 348 9,963  58 185 190 40	9 1	3 5 2 3 14 1 1 2 3	18 358 10 998 141 125 95 288 3, 102 193 192 169 83 488 28	50 114 84 183 177 113 92 1 153  94 26 159 34	7 11 56 32 13 8 73 5 2 85 33 20

## CITY REPORTS FOR WEEK ENDED APRIL 1, 1922.

## ANTHRAX.

. City.	Cases.	Deaths.	
California: Los Angeles.		1	
BERIBERI.			
California: San Francisco.	1	1	

### CEREBROSPINAL MENINGITIS.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1921, inclusive. In instances in which data for the full seven years are incomplete, the median is that for the number of years for which information is available.

City.	Median for pre-	pre- Apr. 1, 1022.			Median for pre- vious	Week ended Apr. 1, 1922.	
	vious years.	Cases.	Deaths.		years.	Cases.	Deaths.
Alabama: Birmingham Connecticut: Waterbury	0	1	2	Michigan: Detroit Minne 30ta: Austin	1	1	1
Delaware: Wilmington Georgia: Atlanta	0 1	1	1	Nebraska: Omaha. New Jersey: Passaic.	0	1	1 2
Illinois: Chicago Peoria Indiana:	3 0	1	1	West Orange New York: New York Ohio:	0 11	1 17	7
Muncie	0	1	1 1	Martins Ferry Salem Oklahoma: Tulsa	0	1	, 1 1
Sanford	0 1	1 1	1	Pennsylvania: Philadelphia Texas:	0	2	
Massachusetts: Lawrence Lowell Springfield	0 0	1	i	Waco West Virginia: Charleston Wisconsin:	0		1
•				Milwaukee	1	2	•••••

#### DIPHTHERIA.

See p. 964; also Telegraphic weekly reports from States, p. 952, and Monthly summaries by States, p. 956.

INFLUENZA.

	· Ca	ses.	Deaths.		Cases.		Deaths,
City.	City. Week ended Apr. 2, 1921.	Week ended Apr. 1, 1922.	week ended Apr. 1, 1922.	City.	Week ended Apr. 2, 1921.	Week ended Apr. 1, 1922.	week ended Apr. 1,
Alabama: Birmingham Mobile Montgomery Arizona:		3	5 1 1	District of Columbia: Washington Florida: Tampa Georgia:		6	3
Tucson		12	1	Atlanta Augusta Rome Idaho: Pocatello.		20 106	2
AlamedaBerkeleyLong BeachLos AngelesOakland	5 1 4 1	1 119 13		Illinois: Bloomington. Chicago Decatur. Oak Park		3 2	1 16 1
PasadenaRiversideSan DiegoSan FranciscoSan Fanta Ana	13	3 21 23 8 6	1 1 4 3	QuincyIndiana: Indiana: Indianapolis Kokomo Richmond	i		1
Stockton	3	1 4 1 4	1	Terre Haute Kansas: Salina Kentucky: Lexington Louisville		63	1
New Britain Stamford Waterbury	1 1	2	i	Louisville Louisiana: New Orleans			5

## INFLUENZA-Continued.

•	Ca	ses.	Deaths,		Ca	<b>1963.</b>	Deaths.
City.	Week ended Apr. 2, 1921.	Week ended Apr. 1, 1922.	week ended Apr. 1,	City.	Week ended Apr. 2, 1921.	Week ended Apr. 1, 1922.	week ended Apr. 1.
Maine: Portland	6			New York—Continued. New York	142	99	16
Maryland:	ľ			Niagara Falls	1	-	10
Baltimore	28	47	7		4	2	
Cumberland Massachusetts:	1	3	ļ	Ogdensburg. Poughkeepsie		3	3
Belmont		1		Rochester			i
Beverly		1 1		ll Rome	i	6	
Boston	2	26 3		Schenectedy	2	38	
Braintree Cambridge Chelsea		i		Saratoga Springs Schenectady Syracuse		3	
Chelsea	i		······	I OHROIS	1		
Chicopee		2	1	North Carolina: Charlotte	l .	i	5
EverettFall River			i	Salisbury			l
Haverhill	2			Salisbury. Wilmington		17	I
Lawrence Lynn	2	1	i	Ohio: Akron		5	
Malden		4		Barberton			1
Newburyport		1		Cambridge		1	
North Adams Pittsfield	5	1 2		Cincinneti	3	i	
Saugus	3					11	7
Springfield		3		Columbus		12	4
Winthrop		2		Dayton		1	
Michigan: Detroit	4	17	7	Dayton  East Cleveland  Ironton  Springfield	• • • • • • • • • • • • • • • • • • • •	1	••••••
Grand Rapids	1		i	Springfield			ï
Highland Park	1	1		101600			5 1
Highland Park Marquette Port Huron	•••••	6 2		Youngstown	•••••	1	1
linnesota:		-		Oregon: Portland		2	5
Minneapolis	4		2	Pennsylvania:			
Rochester	•••••	1	1	Philadelphia	8	14	15
Lissouri:		•••••	•	Providence	1	2	2
Kansas City	2	9	5	South Carolina:	- 1		
St. Joseph	••••••	1 4	····i	GreenvilleSouth Dakota:		37	• • • • • • •
St. Louis Springfield			i	Sioux Falls	1		
Iontana:			`	Tennessee:	- 1		
Billings. Great Falls.	• • • • • • • • • • • • • • • • • • • •		1 3	Memphis			1 3
Missoula.		····i	2	Texas:	·····i	• • • • • • • • • • • • • • • • • • • •	3
evada:			-	Dallas	3		5
Reno		14	••••••	El Paso Fort Worth	••••••		3
Vew Jersey: Clifton	1	. 1		Houston.		3 20	5
CliftonEnglewoodEast OrangeGarfield		ī	1	Utah:			•
East Orange	1	····i		Provo	····i	10	•••••
Harrison	5			Virginia:	.*		••••••
Jersev City	1	3		Danville			3
Kearny Montclair Newark	19	7	•••••	Lynchburg		اا	1
Newark	17			Roanoke	1	8	·····i
Passaic	i	8	1	Washington:	- 1		•
Paterson	1 3	••••••	ا ه	Seattle	1 ].	••••••	•••••
West Orange	3	1	2	West Virginia:	i	3	1
Trenton		1		CharlestonFairmont		3	
		36		Wisconsin:	į		
Auburn. Binghamton Buffalo.		39	••••••	Fond du LacLa Crosse	2	2	• • • • • • •
Buffalo	2	19	3	Manitowoc.		7	
Conoes		2		Manitowoc	11 .		
Elmira		2 3	1	Superior			1
Lockport		1 .		Casper		28	
Mount Vernon	11	2					

Cases.	Deaths.	City.	·	1
	1	City.	Cases.	Deaths
1	•			
LET	HARGIC E	NCEPHALITIS.		
1	1 1	New York: Yonkers. Texas: Galveston.	1	
	MAL	ARIA.		
`3 4 1	1	Massachusetss: Boston. New York: New York Tennessee: Memphis Texas: Waco.	1 1 1	
·	MEAS	SLES.		
aphic v		i .	2, and I	Monthly
	ler	LETHARGIC E  1 1 1 1 MAL 3 4 1 1 MEAN 2aphic weekly respectively.	New York: Yonkers. Texas: Galveston.	LETHARGIC ENCEPHALITIS.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
Alabama: Birmingham		i	South Carolina: Charleston. Tennessee: Memphis. Nashville.		1

## PNEUMONIA (ALL FORMS).

Alabama:		l	Delaware:		1
Alabama. Dismingham		6	Wilmington		1 7
Birmingham	• • • • •	4	District of Columbia:		
Arizona:		-	Washington		15
Arizona: Tucson		10	District of Columbia: Washington Florida:		
A 2		i	Tampa		1 2
Fort Smith		3	'l a		ı
Little Rock	1		Atlanta		26
California:		1	AugustaBrunswick	3	
Alameda	1		Brunswick		1
Bakersfield		1	Rome	4	·
Eureka	1	l	Savannah		5
Long Beach	2	1 1	Illinois:		l
Los Angeles	53	19	Aurora	. <b></b>	4
	5	4	Bloomington		2
Pasadena	2		Chicago	294	49
Sacramento		4	Cicero	3	
San Bernardino		1	Decatur	8	1
San Diego San Francisco Santa Ana		1	Cicero		1
San Francisco	14	5	Elgin	<b></b>	1
Santa Ana		1	Evanston Forest Park	6	
Stockton		4	Forest Park	1	
Colorado:		1	Freeport	2	
Colorado Springs		1	Freeport	2	
Greeley		2	Jacksonville		3
Connecticut:			Kewanee	1	
Bridgeport	7	2	La SalleOak Park	1	• • • • • • • • • •
Hartford	6	1	Oak Park		2
Meriden	2		Peoria		5
New London		2	Quincy	5	2
Norwalk		1	Rockford		1
Waterbury	10	7	Springfield	2	• • • • • • • • •

# CITY REPORTS FOR WEEK ENDED APRIL 1, 1922—Continued. PNEUMONIA (ALL FORMS)—Continued.

City.	Cases.	Deaths.	City.	Cases.	Death
ndiana:			Michigan—Continued.		<b></b>
diana: Crawfordsville East Chicago Fort Wayne Gary Hammond Indianapolis Kokomo South Bend	l	. 2	Highland Park	10	٠.
East Chicago		3 2 1 3	Ishpeming		
Fort Wayne		2	Jackson		
Garv		1	Kalamazoo	1	
Hammond		3	Marquette	3	
Indianapolis		5	Pontiac	3	
Kokomo		2	Pontiac Port Huron	9	
South Bend		2	Saginaw		l
W CO+		1	Sault Ste. Marie		i
Burlington	2		Minnesota:	į	
ansas:	_		Austin		1
Coffeyville	2		Duluth	2	
Fort Scott		1	Minneapolis	<b></b>	
Kansas CityParsons	6	·····	Ot. Faut		1
Parsons		1 2	Winona	2	
TopekaWichita	4	3	Missouri:		1
Wichita		•	Kansas City	20	1
entucky: Covington		. 4	Kansas City St. Joseph Springfield		1 :
Towington	• • • • • • • • • • • • • • • • • • • •	3	li Montono.		i
LexingtonLouisville	17	7	Anaconda		
Louisville		· . '	Rillinge	••••••	l '
New Orleans	15	12	Rutte	•••••	l
ine:	. 10	1	Billings. Butte. Great Falls.	• • • • • • • • • • • • • • • • • • • •	1
Auburn		1	Missoula	4	
Rangor	i				
BangorBiddeford		i	LincolnOmaha		
Lewiston Portland Sanford	3	1	Omaha		
Portland		3	Nevada:		
Sanford		4	Reno		
land:		_			
Baltimore	104	. 52	New Hampshire:		
Baltimore Cumberland		2			
ssachusetts:		-	Bayonne	1	
Arlington	1		Belleville	3	
Attleboro		1	Bloomfield	3	
Belmont	1		Clifton	1	
Beverly	1		Elizabeth		
Boston	23	34	Garfield		
Brookline	<u>.</u> .	2	Elizabeth Garfield Hoboken Jersey City Kearny		
Cambridge	. 17	10	Jersey City	12	• • • • • • • •
Cheisea	]	3	Kearny		
Attleboro Belmont Beverly Boston Brookline Cambridge Chiesea Chicopee Ciinton Easthampton Everett		2 2	[ MURICIAN	l	
Unition	•••••••	Z	Orange		
Everett	i	•••••	Paterson	6	
Fall River	- 1		Plainfield	4	• • • • • • • •
Framingham		5	Rahway.		
Greenfield		2	Summit		
Haverhill	6	- 1	Trenton	5	
Holyoke	5	······ż	West Hoboken	1 1	
Lawrence.	2	î	West New York	- 1·	•••••
T complement	- 1	1	West Orange	4	
Lowell		······à	New York:	- 1	• • • • • • • • • • • • • • • • • • • •
Lynn	3	2	Albany	17	
Lowell Lynn Malden Melrose		3 2 5 3	Binghamton	20	
Melrose.		á l	Buffalo	105	
Methuen New Bedford Newton Pittsfield Plymouth		2	Cohoes	2	
New Bedford		10	Elmira	10	
Newton		2	Geneva		
Pittsfield	3	1	Glens Falls		
Plymouth		1	Hudson	1 .	
Quincy		1	Jamestown	1 .	
Salem Somerville	3	1	Lackawanna	5	
somerville		5	Lockport	6	
SouthbridgeSpringfield	1 .	ا پر	Middletown		
Springueia	5	3	Mount Vernon	8	
Taunton	••••••	3	Newburgh	3	~~
Waltham	2	3 1 2 1 1 1 2	New Dirgn	045	Z
WalthamWatertown	4	2	North Tonemanda		
Wahetar		† l	Ordensburg		
Westfield	•••••	+ 1	Oleen	••••••	
Waymouth		1	Dockskill	••••••	
Webster Westfield Weymouth Woburn Worcester		2	Port Chester	2 .	•••••
Wornester		1			
higan:		- 1	Poughkeepsie		
Detroit	113	42	Rome	19 2	23
Flint		76	Saratoga Springe 1	3 .	
Grand Rapids	13	2 2	Schenectady	6	

## CHTY REPORTS FOR WEEK ENDED APRIL 1, 1922—Continued. PNEUMONIA (ALL FORMS)—Continued.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
New York—Continued.			Rhode Island—Continued.		
Troy		6	Newport	l	1 1
White Plains	2		Pawtucket		ءً ا
Yonkers	3		Providence		10
North Carolina:	ı °		South Carolina:		10
Charlotte	1	5	Charleston	l	. ا
Durham		! ?	Charleston		
Th - 1 - 1 - 1			Greenville		2
Raleigh Rocky Mount Wilmington		3	South Dakota:		
ROCKY Mount	<u>-</u> -	1	_ Sioux Falls		3
Wilmington	7		Tennessee:	l	İ
Ohio:	i	i	Memphis	l	6
Akron	10		Nashville		5
Alliance		1	Texas:	ľ	i -
Barberton		1 2	Beaumont		1
Cambridge		2	Dallas	5	l ā
Canton		3	El Paso	ł	21
Chillicothe		ĭ	Galveston		
Cincinnati	• • • • • • • • • • • •	ıî	Houston		
Cleveland	42	18	Waco.		
Cleveland Heights	1		Utah:	• • • • • • • • • •	
Colombia	1	· · · · · · · · · · <u>· ·</u>	Provo	_	
Columbus	•••••••	7	Provo	7	i
Dayton	1		Salt Lake City		4
East Cleveland	2		Vermont:		
East Youngstown		1	Burlington		2
Hamilton		2	Virginia:		
Hamilton	1		Alexandria		1
		3	Danville		3
Lorain	6		Lynchburg		5
		1	Norfolk	3	5 2 3 2 3
Martins FerryNewark.	2	ī	Petersburg	•	3
Newark	-	î	Portsmouth	•••••	ÿ
Niles.	•••••••••••••••••••••••••••••••••••••••		Richmond		
Norwood	- 1		Roanoke	•••••	ำ
Diame	2		West Virginia:	•••••	
Piqua. Sandusky	Z	••••••	Bluefield		_
Sandusky		1	Diueneid	•••••	2 3 2
Tiffin		1	Charleston	• • • • • • • • • • •	3
Toledo		14	Clarksburg		2
YoungstownZanesville		5	Huntington		4
Zanesville		4	Wheeling		6
Oklahoma: i		ļ	Wisconsin:		
Oklahoma		3	Fond du Lac	16	2
Oregon: -			Kenosha		2
Portland		3	Milwaukee	17	. <b></b>
Pennsylvania:	••••••	١	Racine		2
Philadelphia	123	82	Wyoming:		-
Rhode Island:	ا صد	32	Casper	7	1
Cranston	l	2	Casher	- 1	1

#### POLIOMYELITIS (INFANTILE PARALYSIS).

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1921, inclusive. In instances in which data for the full seven years are incomplete, the median is that for the number of years for which information is available.

	Median for pre- vious		ended 1, 1922.	City.	Median for pre- vious	Week Apr. 1	
	years.	Cases.	Deaths.		years.	Cases.	Deaths.
Iowa: Burlington Massachusetts: Boston Lawrence	0 0 0	1 2	i	Minnesota: St. Paul New York: New York.	0	1	1

### RABIES IN ANIMALS.

City.	Cases.	City.	Cases.
California: Los Angeles. Georgia: Savannah Kentucky: Louisville.	5 2 2	Massachusetts: Arlington Missouri: Kansas City	

#### RABIES IN MAN.

City.	Cases.	Deaths.
Ohio: Akron	1	•••••

#### SCARLET FEVER.

See p. 964; also Telegraphic weekly reports from States, p. 952, and Monthly summaries by States, p. 956.

#### SMALLPOX.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1921, inclusive. In instances in which data for the full seven years are incomplete, the median is that for the number of years for which information is available.

City. Median for pre-				City.	Median for pre-	Week ended Apr. 1, 1922.	
City.	years.	Cases.	Deaths.	City.	vious years.	Cases.	Deaths.
Alabama:				Minnesota:			
Mobile	0	5	1	Minneapolis	17	9	
Tuscaloosa	l ĭ	ĭ		St. Paul.	7	14	
Tucson	l ō	ļ <del>.</del> .	1	Virginia	1 0	1	
California:	1		1	Virginia Winona	0	1	
Auameda	0	1	l	Missouri:	1 1		į
Bakersfield	0	1		Kansas City	7	9	1
Long Beach	1	2		Great Falls	1	1	
Oakland	0			Nevada:			l
San Diego	0	1		Reno	0	1	
San Francisco		4		North Carolina:			1
Stockton	0	1		Durham	1	3	
Connecticut:	_		l	Ohio:	0		
Bridgeport	0	4		Alliance		1 2	
Fairfield		3		Bucyrus Canton	2	í	••••••
Milford		3		Cincinnati	4	6	
District of Columbia:		11		Cleveland	4	ĭ	
Washington	1	11		Dayton		5	
Georgia:	7	1		Fremont		ĭ	
AtlantaAugusta	ó	12		Hamilton	ĭ	3	
Brunswick	ŏ	2		Springfield	ī	13	
Savannah		ĩ		Toledo	4	12	
Illinois:	-	-		Oklahoma:	_		
Chicago	4	6	2	Oklahoma	8	2	
Pekin	ā	ž		Oregon:			
Peoria	5	4		Portland	3	8	l
lowa:	_			South Dakota:			
Burlington	1	3		Sioux Falls	0	3	
Cedar Řapids	4	1		Texas:	_ 1		l
Davenport	10	1		Beaumont	0	1	
Muscatine	0	6		El Paso	0	2 2	
Sioux City	6	2		Waco	0	2	
Kansas:	_ 1	_		Utah:	10	5	1
Kansas City Leavenworth	5	1		Salt Lake City	10	ð	•••••
Leavenworth	õ	1		Virginia: Lynchburg	0	1	
Salina	5 7	1		West Virginia:	V I	1	
Wichita	- 1			Bluefield	3	2	
Kentucky: Louisville	3	3		Parkersburg	ő	3	• • • • • • •
Maine:	9	•		Wisconsin:	١		
Waterville	1	1		Manitowoc	0	1	
dichigan:	- 1	•	•••••	Superior	ō l	5	
Alpena	0	3		West Allis		ĭ	
Ann Arbor	ĭ		····i	TTTin-m		- 1	
Flint	2	2	·	Casper		1	
Hamtramck	ī	ī				- 1	
Pontiac	٥l	ī		1	- 1		

## TETANUS.

City.	Cases.	Deaths.	City.	Cases.	Deaths.	
Georgia: Savannah Illinois: Chicago. Kentucky: Lexington. Nebrasha: Omaha	1 1	1 1	New York: New York Virginia: Portsmouth West Virginia: Charleston	1	1	

#### TUBERCULOSIS.

See p. 964; also Telegraphic weekly reports from States, p. 952.

## TYPHOID FEVER.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1921, inclusive. In instances in which data for the full seven years are incomplete, the median is that for the number of years for which information is available.

City.	Median for pre- vious years.	Week ended Apr. 1, 1922.		City.	Median for pre-	Week ended Apr. 1, 1922.		
		Cases.	Deaths.		viõus years.	Cases.	Deaths	
California:				Minnesota:				
Los Angeles	2	1		Minneapolis	. 1	1	l	
Oakland		1		St. Paul	0	1		
San Bernardino			1	Missouri:			l	
San Francisco	3	1		St. Louis	1	1		
Connecticut:			ľ	Nevada:			i	
Bridgeport	Q	1		Reno	0	1		
Delaware:		_		New Jersey:	_ 1		Į	
Wilmington	0	2		Rahway	0	1		
District of Columbia:		_		Trenton	0	3		
Washington	1	2		New York:			i .	
Florida:		_		Elmira New York	Ŏ	1	1	
Tampa	1	5		New 1 ork	8	7	l	
ieorgia:			_	Rochester	ő	1		
Brunswick	0	• • • • • • •	1	Syracuse	ŏ	• • • • • • • •	1	
Illinois: Aurora	اما	2		Troy	U	• • • • • • • •	ĺ	
Aurora	8			Cleveland	1	1	l	
Bloomington	ı vi	1 5	1	Sandusky		1		
Chicago	3	ō	1	Youngstown	ŏ	·····i	l	
Indiana: Hammond	1	8			U			
South Bend		î		Pennsylvania: Norristown	0		l	
	ان			Pittsburgh	i	ĩ	• • • • • • • • • • • • • • • • • • • •	
Iowa: Mason City	0	1	١.	Sharon	ő	1	• • • • • • •	
Lonisiana:		-		Tennessee:	١	•	• • • • • • •	
New Orleans	2	3		Knoxville	0	1		
Maine:	ا ک			Nashville	ĭ	•		
Sanford	0	1		Texas:	- 1			
Marviand:	, J	-	• • • • • • • • • • • • • • • • • • • •	Dallas	0	1		
Baltimore	4	1		Galveston	ĭl	ī		
Massachusetts:	- 1	-		Virginia:	- 1	_		
Boston	2	1		Alexandria	0	1		
Lynn	آة	ī		Petersburg	ŏ			
dichigan:	٦	•		Portsmouth	ŏl	1		
Battle Creek	0	1		Wisconsin:	- 1	_		
Detroit	2		i	Superior	0			
Saginaw	īl	i			•			
Propertion at	- 1	- 1		1	i			

## CITY REPORTS FOR WEEK ENDED APRIL 1, 1922—Continued. DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

City.	Popula- tion Janu- ary 1, 1920, subjects to correction.	all	Diphtheria.		M(as:es.		Scarlet fever.		Tuber- culosis.	
			Cases.	Desths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Alabama:	170 970		3		11		1		١.	
Birmingham	178, 270 60, 151	47 30	i				2		5	2
Montgomery Tuscaloosa	43, 464 11, 996	20	••••		1		<u> </u>			4
Arizona: Tucson	20, 292	33		1	1	1	1			8
Arkansas:				1						l
Fort Smith	28, 811 11, <b>695</b>	15 4		<u> </u>			:::::			2
Little Rock	64, 997		1	ļ	·····	·····	2	·····	2	
California: Alameda	28, 806	4	ļ		ļ		7			ļ
Bakersfield Eureka	18, 638 12, 923	3	····i		····i		2		1	1
Long Reach	55, 593	21	6	1	5		29	····i	1	
Los AngelesOakland	576, 673 216, 361 45, 354	201 55	17	2	1	ļ	3		153	31
Pasadena Richmond	45, 354 16, 813	20 5	2				1		1	1
Riverside	19,341	12							ļ <u>.</u> .	i
Sacramento San Bernardino	65, 857 18, 721	25 13	5		1		2		1	3 4
San Diego	74, 683 508, 410	30 146	7 43	····i	5		5 13		10 35	2 20
San Francisco	15, 485	5	l							
StocktonColorado:	40, 296	13	2							5
Colorado Springs	30, 105	16					5		15	6
Greeley	10, 883	3								•••••
Bridgeport	143, 538	34 4	11		13		18		2	3 2
Derby. Fairfield.	11, 238 11, 475	i								
Greenwich	22, 123 138, 036	39	1 15		26		. 3		····z	<b>-</b>
Manchester	18,370	4					ļ			
MilfordNew London	10, 193 25, 683	0 14	1	····i	12		····i			• • • • •
Norwalk	27,700 22,301	. 9		:	····i·				<u>2</u>	1
Norwich	91, 410	37	2		i		i		ĩ	2
Delaware: Wilmington	110, 168	32	1		2		56			1
District of Columbia:	ŕ						1		92	
Washington Florida:	437, 571	128	15	1	4		9	•••••	25	11
Tampa	51, 252	22	3		3					3
Georgia: Albany	11, 555			,					11	
Atlanta	200, 616 52, 548	95		•••••	1		3		1	5
Brunswick	14, 413	2	i							•••••
Savannah	14, 413 13, 252 83, 252 10, 783	26	1						3	3
ValdostaIdaho:	10, 783	2	<b></b>						•••••	•••••
Boise	21, 393	.5								· · · · · •
Pocatello	15,001	10				• • • • • • • • • • • • • • • • • • • •	•••••	• • • • • • • • • • • • • • • • • • • •		•••••
AltonAurora	24, 682 35, 397	6 19	2 8	····i	19		<u>.</u>	• • • • • •	····i	·····i
Bloomington	28, 725	8					ĩ			
Blue Island	11, 424 12, 491	2 5	4		11 1	•••••	i	•••••		
Champaign	15, 873			,			1		957	
ChicagoCicero	11, 421 12, 491 15, 873 2, 701, 705 44, 995 43, 818 66, 740	659 11	137 3	14	464	4	105 1	3	257 3	50
DecaturEast St. Louis	43, 818 68 740	12 13	3 3	1	•••••		• • • • •		3	•••••
Elgin	41,707	3					1			i
EvanstonForest Park	37, 215 10, 768	8			1 5				1	••••••
Freeport	19,669	5 7					4		2	1
GalesburgJacksonville	23, 834 15, 713	13					i			i
	16,026	. 2		. 1			4			

## CITY REPORTS FOR WEEK ENDED APRIL 1, 1922—Continued. DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

	Popula- tion Janu-	Total deaths	Diph	theria.	Me	asięs.		ri et ver.		iber- losis.
City.	ary 1, 1929, subject to correction.	from all causes.	Cases.	Doaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Illinois—Continued.				1						
La Salle	13,050	2								·
MattoonOak Park	13, 552 39, 830	13			7		3			
Pekin	12.086	1					3			
Peoria	76, 121	21	1		. 1		·			. 1
Quincy	35, 978	10	2				9		. 2	
RockfordRock Island	65, 651 35, 177	10	i			1			2	2
Springfield	59, 183	17	2							
Indiana:	•	i .	l _	1	)	ł		İ		1
Anderson	29, 767	4	2		}		1		·	
BloomingtonClinton.	11, 595 10, 962	3 7		ļ	1					
Crawfordsville	10, 139	5			i					
East Chicago	35, 967	10	3		1					1
Fort Wayne	36, 549	13	5	1	7		2			
Frankfort	11, 385	10	2		····i	[	1 2		····;	·····i
GaryHammond	55, 378 36, 004	10	-		i		ĺ	ļ	1	
Huntington	14,000	5	i	1	l					i
Indianapolis	314, 194	63	11		56		8		4	7
Kokomo	30, 067	4					1			
La Fayette	22, 486 21, 626	8				¦	2		• • • • • •	
Logansport	15, 195	3								
Muncie	36,624	7								
South Bend	70, 983	12	1		1		1			
Terre Haute	66, 083	20	2		1		4			
Iowa: Burlington	24, 057	6	1	1	l		İ	ĺ	1	1
Cedar Rapids	45, 566		i				2			
Davenport	56, 727	2	2	2	1		2			
Des Moines	45, 566 56, 727 126, 468	• • • • • • •	4				6			
Dubuque	. 39,141		····			• • • • • •	. 1			
Mason City	20,065 16,068	8 11	3			• • • • • •	····i			
Ottumwa.	23 003 1	î	i	i			i			
Sioux City	71, 227	•••••	8				2			
Kansas:		_	l							1
Coffeyville	13, 452 10, 693	3 7				•••••			• • • • • •	
Fort Scott	101, 177		2			•••••	2		4	
Lawrence	12, 456	1	l <del>.</del>				ī		4	
Leavenworth	12, 456 16, 912	•••••	1							
Parsons	16,028	5	1					• • • • • •	1	
SalinaTopeka	15, 085 50, 022	22	1 5		····i	•••••	6 2	• • • • • •	·····2	
Wichita.	72, 128	20		i			6		2	i
Kentucky:	i			-					_	
Covington	57, 121	15	1		.4		1			3
Lexington	41, 534 234, 891	20 78	3		12 22		4		9	2 12
LouisvilleOwensboro	17, 424	10	1		22		i			12
Louisiana:	,		_				-			
New Orleans	387, 219	107	6	1			6		20	14
Maine:	16 005									
AuburnBath	16, 985 14, 731	3 3	1	:			4		• • • • • • •	• • • • • •
Biddeford	18,008	8								i
Lewiston	31, 791	7					4			1
PortlandSanford	69, 272	19	3				14			• • • • • •
Sanford	10, 691	11	• • • • • •		•••••					
Maryland: Baltimore	733, 826	263	35	4	259	3	32		31	19
Cumberland	29, 837	ii l	1		200		ī			
Massachusetts:	1						1			
Adams	12,967	1	1						3	•••••
Amesbury	10,036	1 1	1		4				2	• • • • •
	19 731	4			*				ا ۔۔۔۔ا	
Attionopo I		2			i		2		2	
Attionopo I	10, 749									
Belmont Beverly	10, 749 22, 561	4 1	4		1		1			••••
AttleboroBelmontBeverlyBoston	10, 749 22, 561 748, 060	237	4 47	···i			40	1	55	17
Belmont Beverly	18, 665 19, 731 10, 749 22, 561 748, 060 10, 580 37, 748	4 1	4 47 1	1	1		1	i		17 2 1

# CITY REPORTS FOR WEEK ENDED APRIL 1, 1922—Continued. DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

	Popu's- tion Janu-	Total deaths	1	ıtheria	Me	msles.		arlet ver.		ıber- losis.
City.	ary 1, 1920, subject to correction.	from all causes.		Deaths.	Cases.	Deaths.	Casos.	Deaths.	Cases.	Deaths.
Massachusetts—Continued.										
Chelsea	43, 184	9		.			. 5		. 1	
Chicopee	36, 214	6 7	3		. 3		•   • • • • • •		1	
Clinton	11 108	1 '		•			·[·····		li	
Dedham	12, 979 11, 108 10, 792	i	1				i			
Everett	40, 120	1 4	3		. 4		2		3	
Fall River	120, 485	41	1		. 1		. 5	1	4	2
Framingham	17,033	12	1		·					·
GardnerGreenfield	16, 971 15, 462	6	i	•	i		4		1	ļ
Haverhill	53, 884	17	5		li		3		4	'i''i
Holyoke	60, 203	23	Ĭ		23		ĭ			. 2
Lawrence	94, 270	19	6		63	1	1		4	1
Leominster	19, 744	3	····		4		·		····	1
Lowell	112, 479 99, 148	29 32	6	i	8		7		2	1 1 3 3
Malden	49, 103	13	ľ		2		1 4		6	l i
Melrose	18, 204	9	ļ		ļ		1			
Methuen	15, 189	7	3		15		5		ļ <u>.</u> .	
New Bedford	121, 217	44	9		····		9		11	5
Newburyport Newton	15, 618 46, 054	9	3		2		5	,	3	i i
North Adams	22, 282	11			1					1
Northampton	21,951	7			1		1		1	
Peabody	19, 552	7			16		3			. 1
Pittsfield	41, 751	9	2		1 1		2			1
PlymouthQuincy	13, 045 47, 876	4	····i		6	· · · · i	4		4	
Salem	42, 529	13			9		ī		i	3
Salem. Somerville	93, 091	21	6		48		2		1	1
Southbridge	14, 245	4					ļ <u>-</u> -		2	ļ <u>.</u>
Springfield	129, 563	33 8	4	1	16	1	2		4 3	1 1
Wakefield	37, 137 13, 025	5	· · · · · ·		3		i		3	
Waltham	30, 915	10			4		2			
Watertown	21, 457	2 3			3				1	
Webster	13, 258	3			1	• • • • • •				
West Springfield	13, 443 18, 604	2 6			21	····i		•••••	i	
Weymouth	15, 057	4			21					·
Winthrop.	15, 455	3		l						
Woburn	15, 455 16, 574	4								····-
Worcester	179, 754	54	2		•••••	• • • • • •	5	• • • • • •	6	2
Michigan: Alpena	11, 101		1		1 1					
Ann Arbor.	19, 516	13		i					6	
Battle Creek	36, 164		4		13		1			
Benton Harbor	12, 233	8		1	:::-		1		::-	
DetroitFlint.	993, 739 91, 599	239 23	48	7 2	421	9	62 6	1	44	18 2
Grand Rapids.	137, 634	48	5 2		2		6		3	l
Hamtramck	48,615	Õ	2		5				6	
Highland Park	46, 499	10	1		69		3			· · · · · · ·
Ishpeming	10, 500	. 5				•••••	;;•	•••••	•••••	· · · · · · •
Kalamazoo Marquette	48, 858 12, 718	15 0	5			•••••	11 1	•••••	1	
Pontiac	34, 273	10	i		40		4			
Port Huron	25, 944	9			4					
Saginaw.	61,903	15			• • • • •		3		1	• • • • •
Sault Ste. Marie	12,096	6				•••••	1			<b>-</b>
Austin	10, 118	7								
Duluth	98, 917	10	i				5			i
Faribault	11.089	1	2							· · · · · ·
Mankato	12, 469 380, 582 13, 722		;;-	······			4	;-		<u>.</u>
Minneapolis	13 722	96 15	14	•••••	39	•••••	43	1	18 1	
St. Cloud	15, 873						4			
St. Paul	234, 595	57	9		10		41		15	3
Winona	19, 143		1				1			· · · · · ·
M ssouri: Kansas City	324, 410	96	12		4	ł	9		8	9
St. Joseph	77,939	31	16		2		il			2
St. Louis.	772,897	200	40				13		44	12 3
Springfield	39,631	91 l								

# CITY REPORTS FOR WEEK ENDED APRIL 1, 1922—Continued. DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

	Popula- tion Janu-	Total deaths	Diph	theria	Меа	ıs:es.		riet ver.		ber- osis.
City.	ary 1, 1920, subject to correction.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Montana:										
Anaconda	11,668	17		· · · · · ·	.					
BillingsButte	15, 100 41, 611	9 8							1	
Great Falls	24, 121	6			. 3		1		1	
Missoula	12,668	9					1			
Nebraska: Lincoln	54,934	14	1	1	19	<b> </b>	3	<b>]</b>		1
Omaha	191,601	57	11	·····	39		2		ļ	3
Nevada: Reno	12,016	2	l		J	J				l
New Hampshire:			i		١.	l	Ì			
Berlin	16, 104 22, 167	0 5			1				· • • • • • • • • • • • • • • • • • • •	
Concord Dover	13,029	1 1			8					
Keene Nashua	11,210 28,379	5		·····				••••		
Mant Tareaus		ľ								
Asbury Park	12,400	3			4		4		1	1
Atlantic CityBayonne	50, 682 76, 754 15, 660 22, 019	8,	3		13		3		5 2	
Belleville	15,660		1		5					• • • • • •
BloomfieldClifton	22,019 26,470	4	i		73		····i		1	
Elizabeth	95,682		5		1		10		4	1
ElizabethEnglewoodGarfield	11,627 19,381	4					····i		····· <sub>2</sub> ·	
Harrison	15,721				4					
Hoboken	68, 166	15	2		45 104	1	2		2 6	2
Jersey City Kearny	297, 864 26, 724	6	19		104		29 3		2	
Montclair	28, 810	L 4	ī		4		3			
Morristown Orange.	12,548 33,268	6 4	2		2 2		3 4		3	•
Decesio	63,824	9	- 3		4		5		5	i
PatersonPerth Amboy	135, 866 41, 707	•••••	6 2	•••••	65 2		6 4		11	• • • • •
Phillipsburg	16.923	3								
Dieinfield	27,700	8			5		2 2		. 1	- <i>-</i>
Rahway Summit Trenton	11,042 10,174	1 2			<u>.</u>		1		2 7	
Trenton	119,289	38	6	1	32		• 12		7	1
Union	20,651 40,068	8	3	•••••	8 17		8		•••••	
West New York	29,926	6			6		3 5		3	
West Orange New Mexico:	15,573	3	2		1		5		•••••	• • • • • •
Albuquerque	15,157	10								4
New York: Albany	112 244		4		1		6		7	
Auburn	113,344 36,192	6	3				2		2	
BinghamptonBuffalo	66,800	23	13	i	4	····i	5 52	····i	32	····ii
Cohoes	506,775 22,987	175 5							!	
Elmira	45,305	29	•••••	•••••	89		3		1	2
GenevaGlens Falls	14,648 16,638	3 5	····i						i	
Hudson	11,745	2 12	1		2				····i	<b>-</b>
IthacaJamestown	17,004 38,917	11	1		14		···iˈ		1	····i
Lackawanna	17,918	7					1			····•;
Lockport	21,308	12	•••••	•••••			2		····i	1
Mount Vernon	18,420 42,726 30,366	13			8		3		3	i
Newburgh	30,366 5 821 151	13 1,534	302	28	2,052	40	421	9	1 293	1 123
Niagara Falls	5,621,151 50,760	11	5		18		5			
North Tonawanda	15,482 14,609	7 15		•••••	•••••		1		•••••	•••••
Ogdensburg Olean	20.506 [									
Peekskill	15,868 16,573	12	4	2 1	9	1	1		1	• • • • •
Port Chester Poughkeepsie	35.000	5 11	i		42				1	i
Rochester	35,000 295,750 26,341	84	5		14	•••••	3 2		18	1 3 2
Rome	20,341	11	1 '	'	9 1	'	21.	' .	'	-

<sup>&</sup>lt;sup>1</sup>Pulmonary tuberculosis only.

# CITY REPORTS FOR WEEK ENDED APRIL 1, 1922—Continued. DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

	Popula- tion Janu-	Total deaths	1	theria	Mea	sles.	· fe	arlet ver.		ber- osis.
City.	ary 1, 1920, subject to correction.	all	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
New York—Continued.									1	
Saratoga Springs	13, 181	4	3	1	.	l	l			
Schenectady	88,723	15					6			
Syracuse	171,717	52	17		. 1		13	1	7	1
Troy	72,013	29			16		2		1	1
Yonkers	21,031 100,226	22	5	•!	31	i	12	ł		i i
North Carolina:	•	_	"		7 "	1				1 -
Charlotte	46,338	28		.	.					3
Durham	21,719	7		·	·[				. 3	1
Greensboro	19,861 24,418	10		· ·····						
Raleigh	12,742	7			1					····i
Salisbury	13,884	2								l i
Wilmington	33,372	8					ļ		. 2	
North Dakota:	01 001		1	1	1	l	١.	l		l
Fargo	21,961		•				4			
Ohio: Akron	208, 435	40	9	1	. 87		11	l	2	l
Alliance	21,003	5					l			
Barberton	18,811	5							1	1
Bucyrus	10,425	2			·  <u>-</u> -					. 1
Cambridge Canton.	13, 104 87, 091	5 20	<u>-</u> -	1	. 3		· · · · · · · · ·			•••••
Chillicothe	15,831	7	5		111		4			1
Cincinnati	401, 247	105	10	i	114	2	G		18	Î
Cleveland	796,836	191	35	3	158	ī	48	2	78	19
Cleveland Heights	15, 236		.		·}		2		<u>-</u> -	
Columbus Dayton	237,031 152,559	78 44	3		1 1		3 2		5	8
East Cleveland	27, 292	6	1 3		1 *		*		1 1	•••••
East Youngstown	27, 292 11, 237	4								
Findlay	17,021	4	ľ							1
Fremont	12,468	5		·						•••••
HamiltonIronton	39,675 14,007	9	1		2	• • • • • • •				<b>-</b>
Kenmore	12,683		i		2		i		i	•••••
Lancaster	14,706	7	2							i
Lima	41,306	8	4		1		1			
Lorain	37, 295		. 1				5		1	<b>-</b>
Mansfield Marion	27,824 27,891	11	i						i	- • • • •
Martins Ferry	11,634	2	l i				• • • • • •			
Middletown.	23,594	6	ļ <u>.</u>		1				i	
Newark	23,594 26,718	9								
New Philadelphia	10,718		3							<b>-</b>
Niles	13,080 24,966	1 3	4		4	• • • • • • •	1 2	····i		<b>-</b>
Piqua	15,044	2			- 7					
Salem	10,305	5					2			
Sandusky Springfield	22,897	3					3			1
Steubenville	60,840	14	1				2		2 1	. 1
Toledo	28,508 243,109	11 77	11		17		3		4	5
Youngstown	132,358	23	l i		6		3		2	
YoungstownZanesville	29, 569	12					4		2	
Oklahoma:	01.050				1 1		ا ا			•
Oklahoma Tulsa	91, 258 72, 075	23	2		11		2 2			2
Oregon:	12,010					}	- 1			
Portland	258, 288	69	5		1		4		14	. 4
Pennsylvania:			1		1 1	į	- 1			
AllentownAltoona	73, 502	· · · · · · · ·			:		3	• • • • • •	1	• • • • •
Bethlehem.	60, 331 50, 358				1		2			• • • • • • • • • • • • • • • • • • •
Braddock	20,879		[		1		1			•••••
Butler	23, 778 18, 640		1		!		1			
Carbondale	18,640	• • • • • • • •			<u>,</u> -		:-:		1	•••••
Carlisle	10, 916	•••••		• • • • • •	2 1		1			•••••
Connellsville	13, 804		2							
· Dubois	10, 916 13, 171 13, 804 13, 681		3							•••••
Erie	95,372					[	1		3	•••••
Farrell	15, 586 75, 917	•••••			1					•••••
Harrisburg	32, 277		2		15		2			
	, · ·		- 1		AO -					

# CITY RBPORTS FOR WERK ENDED APRIL 1, 1922—Continued. DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

	Popula- tion Janu-		-	theria	Mea	sles.		rlet ver.		il·er- osis.
City.	ary 1, 1920, subject to correction.	all	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Pennsylvania—Continued.										-
Johnstown	67, 327			.	. 3	<b> </b>		ļ		
Lancaster	53, 150				1		2 5	}	1	
Lebanon	24, 643 45, 975		1		6	1	3			
McKees Rocks	16.713		1					ļ		
Meadville New Castle	14,568		.		1					
New Kensington	44, 938 11, 987				15 1					
Norristown North Braddock	11, 987 32, 319		2		2		1			
North Braddock	14, 928	ļ <u></u>	1		1		:::-			
Philadelphia Phoenixville	1, 823, 158 10, 484	566	55 1	6	45	1	135	3	79	44
Pittsburgh:	588, 193		15		41		37		27	
Pittston	18, 497		1							
PlymouthPottstown	16,500			·	17		····i·		···i	ļ <b>-</b>
Pottsville.	17, 431 21, 876		1		·····2	•••••	2	• • • • • •	, 1	•
Reading	107, 784		3		3				20	
Scranton Shamokin	167, 784 137, 783 21, 204 15, 721		2		1				1	
Sunbury	21, 204 15 721		1		10	•••••			• • • • • •	• • • • • •
Swissvale	10,908				2					
Tamaqua	12,363				10					
Uniontown	15,692 14,256		1 1		1		2 1			
Washington	21, 480		i		2					
Wilkes-Barre	73, 833		1		3				1	
WilliamsportYork	36, 198				1		;-		3	
Rhode Island:	47,512					•••••	•		٠	• • • • •
Cranston.	29, 407	7						[		<b>-</b>
Newport	30, 255	6	4				1			
Pawtucket Providence	30, 255 64, 248 237, 595	25 71	1 10	····i	····i		2		•••••	8
South Carolina:		••	10	-	- 1		-			
Charleston	67, 957	' 30								3
ColumbiaGreenville	37, 524 23, 127	11	• • • • • •				1		•••••	3
South Dakota:	20, 121	**								•
Sioux Falls Tennessee:	25, 176	8			2		5		1	• • • • •
Chattanooga	57, 895		1		- 1	-	1	- 1		
Knoxville	77, 818				6				5	5
Memphis	162, 351	46	5				3		7	5 3
Texas:	118, 342	42					3		5	3
Beaumont	40, 422	6		<b></b>					1	4
Corpus Christi	10, 522	4								;
Dallas El Paso	158, 976	34 60	5		105		5 .		2	4 13
Fort Worth	106, 482	27	i						2	2
Galveston.	10, 522 158, 976 77, 543 106, 482 44, 255	19								1
Houston	138, 076 38, 500	42 8	3		-	-			••••	1
Utah:	50,500	•							-	• • • • •
Provo.	10, 303	4								
Salt Lake City Verment:	118,110	31	1	2	2 .		2  -		3	2
Barre	10,008						3			
BurlingtonRutland	22,779	7	2				3 .			
Virginia:	14, 954	5	1 .	-						
Alexandria	18,060	5	1							
Danville	21, 539 29, 956 115, 777	16	]				1 .		21	
Lynchburg	29, 956	15	1				;- -		2	
Petersburg	31 002	ii .	3				1 .		6	2
Petersburg. Portsmouth.	31,002 54,387	15	2							3 2 2 5
Richmond	171,667	52	3 .		22		-		26	5 2
Roanoke	50, 842	15	3 .		1 .			-	•••••	4
West Virginia: Bluefield	15, 282	4	1 .							
Charleston	39,608	21 .					1 .	-	-	· · · •
ClarksburgFairmont	27, 869 17, 851	6	2				3 .		· · · · · · · · · ·	••••
r ou monter	11,001 '.	! .	•••••	•••••	• • • • • '•	• • • • • '	J	• • • • • •	• • • • • •	••••

# CITY REPORTS FOR WEEK ENDED APRIL 1, 1922—Continued. DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

	Popula- tion Janu-	Popula-   Total		Diphtheria.		sies.		ver.	Tuber- culosis.	
City.	ary 1, 1930, subject to correction.	t to all	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Chaese.	Deaths.
West Virginia—Continued. Huntington Martinsburg. Morgantown Moundsville Parkersburg. Wheeling Wisconsin: Appleton Ashland Beloit. Eau Claire Fond du Lac. Green Bay Janesville. Kenosha La Crosse. Madison. Manitowoc. Milwaukee Oshkosh Racine. Sheboygan Stevens Point Superior Waukesha West Allis Wyoming: Casper. Cheyenne.	50, 177 12, 512 12, 127 10, 669 20, 050 11, 334 21, 284 20, 880 23, 427 81, 017 11, 293 40, 472 30, 363 38, 378 17, 563 457, 147 33, 162 58, 583 30, 955 11, 371 12, 558 12, 558 13, 765	17 4 5 19 1 7 4 2 6 6	1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	222 3 3 2 1 1 1 1		1 1 2 2 23 5 5 1 1		18 3 1 1 31 1	1 1 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3

### FOREIGN AND INSULAR.

#### PLAGUE ON VESSEL.

### Steamship "City of Genoa"-At Suez and Port Said.

The steamship City of Genoa from Karachi and Bombay, India, for Plymouth, England, arrived March 11, 1922, at Suez, Egypt, with a case of plague on board and a history of a death from plague occurring en route March 9, 1922. It was stated that numerous rats had been observed in the hold during the last previous stay of the vessel at Liverpool, England. The City of Genoa proceeded in quarantine to Port Said, Egypt, where a second case of plague and a suspect case, both occurring among the crew, were landed March 12, 1922. On March 13 the suspect case was declared positive and on March 15 the death of one of the cases landed at Port Said was reported.

#### AUSTRALIA.

#### Plague-Sydney.

During the week ended April 15, 1922, three cases of plague with one death were reported at Sydney, Australia.

#### CANADA.

#### Measles -Ontario - March, 1922.

The report of the Provincial Board of Health of the Province of Ontario, Canada, for the month of March, 1922, shows the occurrence in the Province of 695 cases of measles, as compared with 238 cases reported during the month of March, 1921. Four deaths from measles were reported for each period.

#### JAPAN.

#### Influenza-Aichi Prefecture.

Influenza has been reported in Aichi Prefecture, Japan, as follows: November, 1921, 23 cases with 3 deaths; December, 1921, 165 cases with 9 deaths; January, 1922, 689 cases with 5 deaths. The occurrence was stated to be fairly evenly distributed throughout the Prefecture. The type of the disease was stated to be mild and without serious complications. Statistics of mortality from the disease were reported not to be available. (Population of the Prefecture in 1912, 2,000,000.)

Place.

#### MEXICO.

#### Epidemic Smallpox-Monterey.

Under date of April 13, 1922, epidemic smallpox was reported at Monterey, Mexico, with two deaths from the disease occurring April 12, 1922.

Trachoma on Vessels-Vera Cruz.

Two cases of trachoma were found on vessels leaving for United States ports from Vera Cruz during the month of March, 1922.

#### RUSSIA.

#### Typhus Fever-Recurrent Typhus-Lithuania.

During the month of January, 1922, 814 cases of typhus fever with 73 deaths, and 357 cases of recurrent typhus with 12 deaths, were reported in the Province of Lithuania; Russia.

# CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER. Reports Received During Week Ended April 21, 1922.

Cases.

19

Deaths.

Remarks.

#### CHOLERA.

Date.

D	Feb. 19-25	6	1 4	
Rangoon	reb. 19-25	0	4	,
Indo-China: Saigon	Jan. 29-Feb. 18	24	23	Including 100 km. surrounding country.
Siam: Bangkok	Feb. 12-18	. 2		Country
	PLA	GUE.	`	
Brazil:				·
Bahia Ceylon:	Feb. 12–18	ł	1	
Colombo	Feb. 19–25	1	1	-
Amoy Hongkong	Feb. 19-Mar. 4	23	11	Present in surrounding country.
Egypt	1 CO. 12-Mai. 4			Jan. 1-Mar. 16, 1922: Cases, 43;
Alexandria	Mar. 12-16	2	2	deaths, 22. One case, 1 death septicemic.
Port SaidSuez	Mar. 15 Mar. 14	1	1	
India			• • • • • • • • • • • • • • • • • • • •	Feb. 5-11, 1922: Cases, 2,805; deaths, 2,258.
BombayKarachi	Feb. 5-11	18 20	4 15	200000, 2,200
Madras Presidency	do	398	282	
Rangoon Indo-China:			45	
Saigon	Jan. 29-Feb. 4			Plague-infected rats: Four. Islands of Java and Madoera:
East Java—				Jan. 1-31, 1922—cases, 976; fatal.
Soerabaya	Feb. 5–11	1	1	·
Mexico: Tampico	• • • • • • • • • • • • • • • • • • • •		••••	Apr. 2-8, 1922: One plague infect-
				ed rat; total infected rats, Jan. 1-Apr. 8, 1922: 14.

<sup>&</sup>lt;sup>1</sup> From medical officers of the Public Health Service, American consuls, and other courses.

### Reports Received During Week Ended April 21, 1922-Continued.

PLAGUE-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Senegal: Dakar. Siam: Bangkok. Straits Settlements: Sincapore. On vessel: S. S. City of Genoa.	Feb. 1-28 Feb. 5-18 Feb. 22-28 Mar. 9-15	2 8 24 4	5 6 2	At Suez and Port Said, Egypt, from Karachi and Bombay, India, for Piymouth, England: One fatalcase at sea enroute to Suez: 1 case on arrival. At Port Said, 2 cases, of which 1 fatal.
	SMAL	LPOX.		-
Brazil: Bahia Rio de Janeiro Sao Paulo	Jan. 29-Feb. 4 Feb. 26-Mar. 11 Jan. 2-8	1 18 1	4	
Ontario— Niagara Falls Toronto	Apr. 4–10 Mar. 26–Apr. 1	2 4		Reported to be increasing; type mild.
Colombo	Feb. 19-25 Feb. 19-Mar. 4 Feb. 12-Mar. 4	1 25	3 20	Port case.
Nanking. Shanghai. Haiti. India Bombay Calcutta Karachi.	Feb. 25-Mar. 11 Mar. 5-12 Feb. 5-11 Feb. 19-25 Feb. 29-Mar. 4	1 5 10 8 91	5 1 10 4 36	Present. Cases, foreign: deaths, native. Mar. 19-23, 1922: A few cases. Jan. 1-14, 1922: Cases, 329.
Madras	do	22 . 4	1 2	Including 100 km. surrounding country.
Taiwan Island	Mar. 1-10 Feb. 1-28 Feb. 19-Mar. 4	20 32	3	Including municipalities in Federal District.
Monterey	Apr. 12	3	2 6 3	Epidemic.
Spain: Valencia Straits Settlements: Singapore.	Mar. 12-18	1 21	1 2	
Switzerland: Zurich Turkey: Constantinople Union of South Africa:	Mar. 12-18do	5 14	1	
Southern Rhodesia	TYPHUS	80 EEVER		Natives.
	TIPHUS	FEVER	· 	
OranBulgaria:	Mar. 1-10	1 7 1	4	
Egypt:	Jan. 15-21	1	1	

### Reports Received During Week Ended April 21, 1922—Continued.

#### TYPHUS FEVER-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Mexico:     Mexico City	Feb. 19-25  Jan. 1-31  Mar. 12-18	39 814 16	73	Including municipalities in Federal District.  Recurrent typhus: Cases, 357; deaths, 12.
Brazil: Pernambuco	YELLOW Feb. 19-25		ł. 1	

## Reports Received from December 31, 1921, to April 14, 1922. CHOLERA.

#### Deaths. Cases. Place. Date. Remarks. Oct. 2-Dec. 31, 1921: Deaths, 37,749. (Corrected report.) India... Oct. 30-Nov. 5... Jan. 29-Feb. 4... Oct. 23-Dec. 31... Bombay..... 1 71 Do..... 60 Calcutta... Jan. 1-Feb. 18.... Do..... 116 102 Karachi.... Nov. 6-12..... Madras.... Do ... 10 Rangoon... 30 24 24 21 Jan. 1-Feb. 11.... Indo-China: Saigon... Nov. 6-12.... 1 1 Java: West Java-Nov. 1-7..... Batavia 2 2 At Lebak. Philippine Islands: Nov. 13-Dec. 31... Jan. 1-Feb. 18.... 18 24 49 Manila..... 76 Do..... Province-Bulacan. Dec. 25-31... Pampanga..... ..do.. Dec. 11-31..... Zambales..... 31 13 Aug. 14-Sept. 10, 1921: Cases, 4; Poland..... deaths, 1. Russia: Kharkoff. Present. Jan. 28..... Dec. 15-Jan. 11.... Kieff.... 259 Latvia Riga ... At quarantine station in October, 1921: One case. Present. Odessa..... Jan. 28..... Siam: Bangkok.... Oct. 23-Dec. 24... Jan. 29-Feb. 4....

#### PLAGUE.

Asia Minor: Smyrna	Nov. 27-Dec. 3	1	1	
Australia: New South Walcs— Sydney	do	2	1	Dec. 7-13: 4 plague rats. Jan. 15-
Do			l	21, 1922: 1 plague rat. Mar. 26-Apr. 1, 1922: Cases reported, 6 to 10; 1 death.

## Reports Received from December 31, 1921, to April 14, 1922—Continued. PLAGUE—Continued.

Inisfail	Place.	Date.	Cases.	Deaths.	Remarks.
Decemband	Australia—Continued.				
Brisbane	Queensiand—	35. 40.05	1 .	_	
Brisbane	Aramac	Mar. 19-25	1	1	inland town on railroad about
Do.   Jan. 1-Mar. 18.   10   Mar. 5-11.   10	Brisbane	Oct. 30-Dec. 31	27	20	Total, Aug. 22-Dec. 31, 1921: Cases, 41; deaths, 27. Total infected rats, 54. Total cases,
Bundaberg	_			.	Jan. 1-Mar. 18, 1922: 10. Total infected rats, 10.
Cairns	Do	Jan. 1-Mar. 18			
Cooktown   Oct. 30-Nov. 5	Coirns	Mar. 5-11	1 6		Plague rate 0
Cooktown   Oct. 30-Nov. 5	Do	Jan. 1-7.		1	lague rats, 9.
Injsam	Cooktown	Oct. 30-Nov. 5	i	i	Pestis minor.
Inisfail	Ingham				
Inisfail	•			1	14. Jan. 1-14, 1922: 2 plague
Ipswich   Nov. 13-19	7.1.6.11			1	
Port Douglas   Nov. 13-19   1   1   2   1   2   1   2   1   2   3   1   1   1   2   2   2   2   3   3   1   1   1   3   2   2   3   3   3   3   3   3   3	Inisiali	Dec 11 17		j	Nov. 27-Dec. 3, 1921: 1 plague rat.
Do	Port Donglas	Nov 13-19	1		
Do	Townsville	Nov. 20-Dec. 3			Total cases, 27: deaths, 18.
Azoros:   Islands	Do	Jan. 1-14			To Jan. 14, 1922; Cases, 32;
Islands		l i		•	
Fayal				1	
St. Michael   St. Michael	Islands—	Tan 16 00			•
Arrifes. Dec. 25-31. 1 1	St Michael	Jan. 10-22		2	Nov. 27 Dog 21 1001; Co.o. 22.
Arrifes. Dec. 25-31. 1 1	St. Michael	· · · · · · · · · · · · · · · · · · ·	•••••		deaths 9 Ian 1-21 1022
Arrifes. Dec. 25-31. 1 1				I	Cases, 13: deaths, 8, Jan. 22-
Arrifes. Dec. 25-31. 1 1				i	Mar. 4, 1922: Cases, 51, deaths,
Arrifes. Dec. 25-31. 1 1		. 1		ļ	25; occurring at Arrife , Capela ,
Arrifes. Dec. 25-31. 1 1 1 1 2 miles. 3 miles from port.    Do.					Fenaes, Ribeira Grande and
Arrifes. Dec. 25-31. 1 1 1 1 2 miles. 3 miles from port.    Do.				l	Santo Antonio: distance from
Arrifes		!		ſ	port of Polita Delgada, 3 to 9
Do.   Jan. 1-7   1   Nov. 27-Dec. 3	Auriton	Dág 25 21		,	
Present 6 miles from port   Present   Pres	Do	Jan. 1-7			o maes from port.
Do.   Jan. 15-21   3   2   2   5   5   5   5   5   5   5   5	Fenaes d'Ajuda	Nov. 27-Dec. 3	<del>.</del> .		Present. 6 miles from port.
Do	Do	Jan. 15-21			·
Livramonto   Dec. 4-10   2     Vicinity of Ponta Delgada		Nov. 13-Dec. 10			9 miles from port.
Ponta Delgada			9	6	Visinity of Ponto Dolgodo
Brazil:	Ponta Dolgada	do.			Vicinity of Fonta Deigada.
Bahia         Oct. 30-Dec. 31         13         12         12         12         12         12         12         13         12         14         12         14	Brazil		1		
Do		Oct. 30-Dec. 31	13	12	
Para.         Feb. 6-12         1           Rio de Janeiro         Jan. 22-28         1           British East Africa:         Uganda         Aug. 1-Nov. 29         169           Cape Verde Islands:         Mar. 16         Present: no plague mortality reported during previous 5-month period. August, 1921: Cases, 6; deaths, 3.           Ceylon:         Oct. 30-Dec. 31         13         10           Colombo         Jan. 1-Feb. 18         22         19           Chile:         Antofagasta         Mar. 5-11, 1922: 1 plague rat.           China:         Jan. 1-Feb. 11         19         10		Jan. 1-28			
British East Africa:   Uganda		Feb. 6-12			
Uganda       Aug. 1-Nov. 29.       169       140       Aug. 1-Oct. 31, 1921: Reports of in spectors, deaths, 343; reports of chiefs, deaths, 343; reports of chiefs, deaths, 651.         Cape Verde Islands:	Rio de Janeiro	Jan. 22-28	1	1	a.
Cape Verde Islands: St. Vincent.  Mar. 16.  Mar. 16.  Present; no plague mortality reported during previous 5-month period. August, 1921: Cases, 6; deaths, 3.  Ceylon: Colombo.  Oct. 30-Dec. 31.  13  10  Oct. 30-Dec. 24, 1921: Rodent plague, 6. Infected rats, 10.  Chile: Antofagasta  China: Hongkong. Nov. 20-Dec. 17  Jan. 1-Feb. 11.  Nov. 20-Dec. 17  Jan. 1-Feb. 11.  Nov. 20-Dec. 17  Jan. 1-Feb. 11.  Nov. 20-Dec. 17  Jan. 1-Feb. 11.  Nov. 20-Dec. 17  Jan. 1-Feb. 11.  Nov. 20-Dec. 17  Jan. 1-Feb. 11.  Nov. 20-Dec. 17  Jan. 1-Feb. 11.  Nov. 20-Dec. 17  Jan. 1-Feb. 11.  Nov. 20-Dec. 17  Jan. 1-Feb. 11.  Nov. 20-Dec. 17  Jan. 1-Feb. 11.  Nov. 20-Dec. 17  Jan. 1-Feb. 11.  Nov. 20-Dec. 17  Jan. 1-Feb. 11.  Nov. 20-Dec. 17  Jan. 1-Feb. 11.  Nov. 20-Dec. 17  Jan. 1-Feb. 11.  Nov. 20-Dec. 17  Jan. 1-Feb. 11.  Nov. 20-Dec. 17  Jan. 1-Feb. 11.  Nov. 20-Dec. 17  Jan. 1-Feb. 11.  Nov. 20-Dec. 17  Jan. 1-Feb. 11.	British East Africa:	Aug 1 Nov 20	160	140	Aug 1 Oat 21 1021: Paparts of
Cape Verde Islands: St. Vincent.  Mar. 16.  Mar. 16.  Present; no plague mortality reported during previous 5-month period. August, 1921: Cases, 6; deaths, 3.  Ceylon: Colombo.  Do. Jan. 1-Feb. 18. 22 19 Chile: Antofagasta.  China: Hongkong. Nov. 20-Dec. 17 Do. Jan. 1-Feb. 11. 19 10  of chiefs, deaths, 651.  Present; no plague mortality reported during previous 5-month period. August, 1921: Cases, 6; deaths, 3.  Oct. 30-Dec. 24, 1921: Rodent plague, 6. Infected rats, 10.  Mar. 5-11, 1922: 1 plague rat.	Cganda	Aug. 1-Nov. 29	109	140	in nectors deaths 343; renorts
Cape Verde Islands:       Mar. 16.       Present: no plague mortality reported during previous 5-month period. August, 1921: Cases, 6; deaths, 3.         Ceylon:       Oct. 30-Dec. 31.       13       10       Oct. 30-Dec. 24, 1921: Rodent plague, 6.         Do.       Jan. 1-Feb. 18.       22       19       Infected rats, 10.         Chile:       Antofagasta.       Mar. 5-11, 1922: 1 plague rat.         China:       Hongkong.       Nov. 20-Dec. 17       6         Do.       Jan. 1-Feb. 11.       19       10					
St. Vincent	Cane Verde Islands:				or emergy deadles, our
Ceylon: Colombo. Do. Jan. 1-Feb. 18. Chile: Antofagasta. Clina: Hongkong. Nov. 20-Dec. 17. Do. Jan. 1-Feb. 11. Do. Jan. 1-Feb. 11. Do. Jan. 1-Feb. 11. Do. Jan. 1-Feb. 11. Do. Jan. 1-Feb. 11. Do. Jan. 1-Feb. 11. Do. Jan. 1-Feb. 11. Do. Jan. 1-Feb. 11. Do. Jan. 1-Feb. 11.	St. Vincent	Mar. 16			Present; no plague mortality re-
Ceylon:     Oct. 30-Dec. 31.     13     10     Oct. 30-Dec. 24, 1921: Rodent plague, 6. Infected rats, 10.       Do.     Jan. 1-Feb. 18.     22     19       Chile:     Antofagasta     Mar. 5-11, 1922: 1 plague rat.       China:     Nov. 20-Dec. 17.     6       Do.     Jan. 1-Feb. 11.     19		1			ported during previous 5-
Ceylon:     Oct. 30-Dec. 31.     13     10     Oct. 30-Dec. 21, 1921: Rodent plague, 6.       Do.     Jan. 1-Feb. 18.     22     19       Chile:     Infected rats, 10.       Antofagasta.     Mar. 5-11, 1922: 1 plague rat.       China:     Nov. 20-Dec. 17.     6       Do.     Jan. 1-Feb. 11.     19       10     10       Do.     Jan. 1-Feb. 11.     19       10     10		1			month period. August, 1921:
Colombo       Oct. 30-Dec. 31       13       10       Oct. 30-Dec. 24, 1921: Rodent plague, 6.         Do       Jan. 1-Feb. 18       22       19       Infected rats, 10.         Chile:	Cardon	,		1	Cases, o; deaths, a.
Do.   Jan. 1-Feb. 18.   22   19   Infected rats, 10.     Chile:   Antofagasta   Mar. 5-11, 1922: 1 plague rat.   China:   Hongkong   Nov. 20-Dec. 17   6   Mar. 5-11, 1922: 1 plague rat.     China:   Hongkong   Jan. 1-Feb. 11   19   10   10	Colombo	Oct 30-Dec 31	13	10	Oct. 30-Dec. 24, 1921; Rodent
Chile:       Mar. 5-11, 1922: 1 plague rat.         Antofagasta       Mar. 5-11, 1922: 1 plague rat.         China:       Hongkong       Nov. 20-Dec. 17       6         Do       Jan. 1-Feb. 11       19       10	001011100	CCC SC DCC CATTON			
Antofagasta	Do	Jan. 1-Feb. 18	22	19	Infected rats, 10.
China:  Hongkong	Chile:	1	1		36 7 11 1000 1 1
Hongkong	Antolagasta			•••••••	mar. 5-11, 1922: 1 plague rat.
Do	Hongkong	Nov 20-Dec 17	6		
ra a	Do		٠,١	10	
Guayaquil	Ecuador:				
Do	Guavaguil	Nov. 16-Dec. 31			Rats examined, 2,958; found in-
15, 1921: Cases, 28. Jan. 1- Feb. 28, 1922: Rats examined,	Do	Jan. 1-Feb. 28	31	12	iected, 90. Total, July-Dec.
11 900 found infanted 905			i		10, 1921; Cases, 28. Jan. 1-
		l	1	1	11 800: found infected, 295.

### Reports Received from December 31, 1921, to April 14, 1922—Continued.

PLAGUE-Continued.

Place.	- Date.	Cases.	Deaths.	Remarks.
Egypt				Jan. 1-Dec. 31, 1921: Cases, 356, deaths, 153. Jan. 1-Mar. 9, 1922: Cases, 39; deaths, 19. Feb. 12-18, 1922: 1 plague rodent.
Egypt	·	1 _		deaths, 153. Jan. 1-Mar. 9
Alexandria	. Dec. 5-30	7	2	1922: Cases, 39; deaths, 19.
Do	Jan. 17-Mar. 7	. 6		reb. 12-18, 1922: I plague rodent.
Port Said	. Dec. 20	1 1		,
Suez	Nov. 22-Dec. 31 Jan. 2-29	16 4		
Do	. Jan. 2-29	*	1 -	
Province— Assonan	Fab 28	1	1	Septicemic.
Fayoum	Feb. 28 Feb. 17-Mar. 9	5		. Septice mic.
Gharbieh	Feb. 17-28	4		
Girgeh	Jan. 12.	ĺi		Do.
Keneh	Dec. 1			Do.
Keneh Do	Jan. 21-Feb. 28	1 4		Pneumonic, 1 case, 1 death; sep-
20	1	1 -	1	ticemic, 1 case.
Minieh	Feb. 21-Mar. 9	3	3	Septicemic.
Greece:	1	•	1	1
Preveza	Feb. 8			Outbreak. Port on the Ionian
210700011111111111111111111111111111111			1	Soo
India		l		Oct. 23-Dec. 31, 1921: Cases, 8,690; deaths, 6,458 (reports, weeks ended Dec. 3 and 17,
Bombay	Oct. 23-Dec. 24	7	6	8,690; deaths, 6,458 (reports,
Bombay Do	Jan. 1-Feb. 4	15	14	weeks ended Dec. 3 and 17.
Calcutta	Jan. 29-Feb. 11	2	2	1921, missing). Jan. 1-Feb. 4.
Calcutta Karachi.	Nov. 6-Dec. 31	5	5	1921, missing). Jan. 1-Feb. 4, 1922: Cases, 10,246; deaths,
Do	Jan. 1-Feb. 25	62	49	7,842.
Madras	Dec 11-17	1	1	•
Madras Presidency	Nov. 13-Dec. 31	2,047	1,438	
Do	Jan. 1-Feb. 25	2,784	2,011	
Rangoon	Oct. 1-Dec. 31	139	129	
Ďo	Jan. 1-Feb. 11	206	186	
Indo-China:	1			
Saigon				Nov. 6-Dec. 24, 1921: Rodent plague, 10. Jan. 8-28, 1922: Rodent plague, 4.
Italy: Catania	Nov. 27	1	1	Total, Oct. 16-Nov. 27, 1921: Cases, 8 (of which 1 doubtful); deaths, 5. JanFeb., 1922: 28 plague-infected rats found.
Naples (Province)—			i	To program to tour and
Torre Annunziata	Oct. 22-Dec. 27	2	1	17 miles from city of Naples.
Venice	Oct. 27	ī		
Java				Islands of Java and Madoera:
East Java—				Nov. 1-Dec. 31, 1921: Deaths,
Soerabaya	Oct. 30-Dec. 10	11	12	1,781.
Do	Jan. 1-28	3	8	•
Madagascar:			1 1	
Tananarive	Mar. 2	38		Among natives. Entire city re- ported infected. Feb. 4: Pres- ent.
Mauritius (Island): Port Louis	Oct. 29-Dec. 30	241	142	Plague-infected rats, 176; plague-
				infected cats, 36. (Corrected report.) Dec. 1-30, 1921: Dead rats found, 155; dead cats, 4.
Do	Dec. 31-Jan. 11	7	2	Dead rats found, 17.
Mesopotamia: Bagdad	Oct. 1-31	1	1	
Mexico:	000.1-31	•	• 1	
Tampico	Mar. 26-Apr. 1	1	1	Dec. 18-31, 1921: Infected rodents
1 van p. v	1 mai . 20 11 pr. 1	•		found, 5; total, Jan. 1-Dec. 31, 1921, infected rodents, 322; Jan. 1-Apr. 1, 1922, 13 plague-infected rodents.
Vera Cruz				One infected rodent caught Dec.
•	1			E 1001
Peru				Nov. 17-Dec. 31, 1921: Cases, 94; deaths, 35. Occurring in Cal-
				Nov. 17-Dec. 31, 1921: Cases, 94; deaths, 35. Occurring in Callao, Huacho, Huaras, Lima, Magdalena Vieja, Paita, Salaverry, and Sechura, Jan. 1-Feb. 28, 1922: Cases, 141; deaths, 62. (Corrected report to Feb. 15, 1922.)

# Reports Received from December 31, 1921, to April 14, 1922—Continued. PLAGUE—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Peru-Continued.				
Localities— Bambamarca	Jan. 1-15	l	l ·	Present. Rural.
Вангалсо	Jan. 16-31	i		Present. Rurai.
Callao	Jan. 1-Feb. 28	7	4	Rural. Year, 1921: Deaths, 30,
Casma	l Feb. 1-28	11	3	,,
Chiclayo	Jan. 16–Feb. 28 Jan. 16–Feb. 15 Jan. 1–15	19 11	16 2	
Chilca	Jan 1-15	1		Rural.
Guadalupe	Jan. 1-31	7	2	
Huacho	Jan. 1-Feb. 15	3		l
Huaigayoc	Jan. 16-31	2		Province. Present.
Huaral	Jan. 1-15do	Z		Present.
Lambayeque	Jan. 16-Feb. 15	3	i	
Lima	Jan. 1-Feb. 28	14	4	In district, 20 cases; 6 deaths.
Mollendo	Feb. 1-28	3		
Pacasmayo Payta	Jan. 1-Feb. 28	1 28	21	
Piura	Feb. 1-15	1	21	
Salaverry	Jan. 16-31	ī		,
San Pedro	Jan. 1-15	1		
Sullana	Jan. 1-Feb. 28 Feb. 1-15	3	3	Present.
Trujillo Tumbez	do	4		Tresent.
Portugal:	, , , , , , , , , , , , , , , , , , , ,			•
LisbonPortuguese West Africa:	Dec. 15	. 1	1	
Angola— Loanda	Oct. 9-Nov. 5		2	
Mossamedes	Feb. 14			Present.
Rhodes (Island) (Aegean Sea) Senegal:	Oct. 13	3	1	Jan. 1-31, 1922: 1 rodent plague.
Dakar Siam:	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	Jan. 1-31, 1922. I fodent prague.
Bangkok	Oct. 23-Dec. 31	7	. 6	
Do	Jan. 8-Feb. 4	14	9	
Straits Settlements:	N	•	ا م	
Singapore Do	Nov. 6-Dec. 31 Jan. 15-Feb. 11	3 6	3 5	
Svria:	Jan. 10-1-00. 11		١ ١	
Beirut	Oct. 9-Nov. 20	10	4	
Constantinople Jnion of South Africa: Orange Free State—	Jan. 1-7	1	317	. •
Boschrand Farm	Jan. 25	3	3	10 miles from Kroonstad.
Bothaville	NOV. 19	· · · · · · <u>·</u> ·		Plague-infected mouse found.
Hoopstad	Dec. 4–10 Feb. 10	1	·····i	In native herd boy. 12 miles from Bothaville. Plague
Klipfontein (farm)	F60. 10		•	infection found in rats on ad- joining farm, week ended Feb. 4, 1922.
On vessel:		_		
S. S. Polycarp	Feb. 3	1		At Para, Brazil, from Ceara, via Manaos, Maranham, and Para for New York.
S. S. Tango Maru	Dec. 31	1	••••	At Thursday Island Quarantine, Australia, from Kobe, via Nagasaki, Hongkong, Manila,
S. S. Warwickshire	Feb. 12			and Zamboanga.  At Liverpool, England, from Rangoon. Plague rats, 27;
				Rangoon. Plague rats, 27; 1 plague mouse.
	SMAL	LPOX.		
Arabia:	D 07.05			
Aden	Dec. 25-31		1	
Do Asia Minor:	Jan. 8-14	••••••	1	
Smyrna	Jan. 15-21	1		In district.
Algeria:		1		•
Algiers	Jan. 1-Feb. 28	2		
02040 2 224				

### Reports Received from December 31, 1921, to April 14, 1922—Continued.

SMALLPOX-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Bolivia:				
La Paz Do	Jan. 1-31	60 15	9	
Brazil: Bahia	Nov. 6-Dec. 17	4		
Do Rio de Janeiro	Jan. 8-14 Nov. 13-Dec. 31	1 13	2	
DoSao Paulo	Jan. 1-28 Oct. 31-Dec. 25	16 11	4	
Do British East Africa:	Dec. 26-Jan. 1 Aug. 1-Nov. 30	1 22	3	
Uganda	Aug. 1-10v. 30		ľ	
British Columbia— Vancouver————————————————————————————————————	Dec. 25-31	3 1	ļ	
Victoria Manitoba	Mar. 12-18	i		Year 1921: Cases, 71.
Winnipeg New Brunswick—		2		Total 1021. Castos, 11.
Charlotte County St. Stephen	Dec. 11-17	<u>2</u>		Dec. 17, 1921: 31 cases previously reported, occurring at Ander-
,				sonville and Blacks Harbor.
• *				Dec. 18-24, 1921: Cases, 3. Dec. 25-31, 1921: Cases, 2. Feb. 19-26, 1922: Cases, 2.
Restigouche County		••••••		Dec. 11-31, 1921: Cases, 3. Feb. 12-25, 1922: Cases, 4.
Charlo Westmoreland County.	Feb. 19–25 Mar. 5–18	2 13		20 miles from Campbellton.
York County Do	Dec. 11-17 Jan. 29-Feb. 4	1		
Ontario	Jan. 1-21	3		Dec. 1-31, 1921: Cases, 128. Jan. 1-31, 1922: Cases, 170; Feb. 1-
Arthur. Hamilton	Jan. 22-Mar. 25	4		28, 1922: Cases, 185.
Kingston Niagara Falls	Jan. 17-Feb. 11 Dec. 11-24	5 2		Jan. 16-20, 1922: Two cases reported.
Do North Bay	Jan. 15-Mar. 18 Feb. 12-18	38 1		,
Ottawa Do	Jan. 1-Mar. 25	17 34		
Sault Ste. Marie Toronto	Jan. 15-21 Dec. 11-24	4		
Do	Jan. 8 Mar. 4	47 3		
Quebec— Montreal	Dec. 11-24	1		
Saskatchewan— Regina	Jan. 1-Feb. 11	4		
Saskatoon Do	Dec. 1-18 Feb. 5-18	6 3		
Ancon				Admitted to hospital by transfer from Panama, Nov. 30, 1921, 1
	l			case. Arrived on sailing vessel from a village on south coast.
Ceylon: Colombo	Nov. 27-Dec. 3			Port case.
Do	Jan. 29-Feb. 4	ī		JanSept., 1921: Cases, 5.500
				(approximately); deaths, 2,500 (approximately). Nov. 15-21, 1921: Diffused in southern
				provinces, not enidemic
Concepcion	Nov. 23-Dec. 26 Dec. 27-Jan. 30		25 21	Nov. 15-21, 1921: Present. In vi- cinity, at Hualqui, cases, 32; deaths, 5. Dec. 4-17, 1921:
Coronel	Nev. 15-Dec. 17		<u> </u>	Present. Present.
Curani'ahue	Nov. 15-21	4		Oct. 28, 1921-Jan. 31, 1922: Cases,
Osorno.				879; deaths, 338. From beginning of outbreak to
Talcahuano Do	Nov 15-Dec. 24 Jan. 29-Feb. 18	6 5		Feb. 15, 1922: Cases, 87. Jan. 8-28, 1922: Present.
TemucoValparaiso	Nov. 15-21 Oct. 23-Dec. 31	9	94 39	From beginning of outbreak to Feb. 15, 1922: Cases, 80.
Do	Jan. 1-21	1	39	•

## Reperts Received from December 31, 1921, to April 14, 1922—Continued. SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
hina:				
Amoy	Nov. 16-Dec. 31 Jan. 1-Feb. 18 Nov. 28-Dec. 18		7	Nov. 23-29, 1921: Present, Jan
Do	Jan. 1-Feb. 18	<b>!</b>	7	22-28, 1922: Present.
Antung	Nov. 28-Dec. 18	4	1	·
Canton	I Thee 1 21	1		Present.
Changeha	Jan. 16-22	1		
Changsha	Nov & Dec 21			Do.
Chungking	You I Pob 10			Do.
	Jan. 1-Feb. 18			10.
Foochow	Nov. 6-Dec. 31			Do.
Do	Jan, l-Feb 11			Do.
Hankow	MOA. 19-DAC. 91			Do.
Do	Jan. 1-21	1 2		
Harbin	Nov. 14-Dec. 11 Dec. 26-Feb. 12	5		
Do	Dec. 26-Feb. 12	3		
Hongkong.	Dec 2-21	5		
TOURKOUR	Dec. 3-31 Jan, 1-Feb. 11	16	10	
Бо	Jan, 1-Feb. 11	10	10	D-
Mukden	Nov. 20-Dec. 31			Do.
Do	Jan. 15-Mar. 10			Do.
Nanking	Nov. 20-Dec. 17 Jan. 15-Feb. 25	1		Do.
Do	Jan. 15-Feb. 25	1		Do.
Shanghai	Oct. 31-Dec. 31	23	194	Cases foreign: deaths Chines
onsugnar	Oct. 01-Dec. 01		102	and foreign Populations: No
	i	i	<b>i</b> .	Cases, foreign; deaths, Chines and foreign. Populations: No tive, 790,000; foreign, 24,00
	ł ·	1	1	11ve, /90,000; loreign, 24,00
· .	ì	l		Corrected report.
Do	Jan. 2-Mar. 5	33	194	Cases, foreign; deaths, native
20	1		i	Cases, foreign; deaths, native
	<b>l</b> .	į.	1	lent.
mt	Dec 11 17	2		In Mission Hospital.
Tientsin	Dec. 11-17	1 2		III MISSION LEOSPICAL.
Tsingtau	Dec. 11-17 Jan. 1-Feb. 19	31	11	
hosen (Korea):	1	i		
Fusan	Dec. 1-31	3	1	
Do	Jan. 1-Feb. 28	80	19	
Gensan	Feb. 1-28	ĩ		*
	Jan. 1-Feb. 28	8	3	-
Seoul	Jan. 1-Feb. 28		٠	
olombia:		1		
Cartagena	Nov. 22-28		1	-
Santa Marta	Feb. 19-25	l <b>.</b>		Present.
uba		l	l	Dec. 4-31, 1921: Cases, 361. Jan
			1	1-31, 1922: Cases, 257.
Antilla	Dec. 12-31	3		At Preston.
		13	1	
Do	Top 20 Man 4	10		Two cases from outside cit
Cienfuegos		. 5		limits.
Santiago	Jan. 1-Feb. 28	8	1	umits.
zechoslovakia:	1	1		
Prague	Dec. 18-24		42	
recnosiovaria: Pragueominion Republic		_	l	Oct. 1-31, 1921: Cases, 653; death
ommon rechapite		1		54. Jan. 2-Fab. 4, 1922: Case
	`	1	1	6,922; deaths, 185.
·	Ton 19	100	5	In district, widely diffused, with
Puerta Plata	Jan. 13	100		1 000 actimated asses with 1
	t	l	İ	1,000 estimated cases with 1
	i	ı	i	_deaths.
San Pedro de Macoris	Nov. 20-Dec. 31	31	1	Estimate of about 500 cases
Dan I care de laucera,		1	i .	smallpox in the district of M
	i	i		coris; of this amount 50 withi
	i	1	1	the city limits.
_		100		In corresponding country Fol
Do	Jan. 14-Feo. 4	122		In surrounding country. Fel
				12-25: 66 cases. Feb. 26-Ma
-	l .	1	i i	11: 61 cases.
Santo Domingo	Nov. 15-Dec. 5			In_district, 401 cases estimate
Danie Domingo			l i	Dec. 17-24, 1921: Present i vicinity. Jan. 9-16, 1922: 1
	1	ĺ		vicinity. Jan. 9-16, 1922: 1
	1	i		surrounding country, 1,7
		l		cases (estimated).
		1		veses (estimateu).
cuador:		i '		A 9 1 14
Guayaquil	Nov. 16-Dec. 31	7		And vicinity.
Do	Jan. 1-Feb. 28	3		
			) 1	
gypt:	Nov. 26-Dec. 2	1	1	
Alexendrie		2		
Ålexandria				Dec. 16-23, 1921: 1 case.
Onina	do			1765, ID=24, ISF21;   CSISP.
Onina	Dec. 20-26	1		200110 20, 10211 1 02001
Onina	Dec. 20-26	1		
Cairo	Dec. 20-26 Jan. 22-28	<b>!</b>		Nov. 16-30, 1921: 1 case.
Cairo	Dec. 20-26 Jan. 22-28	<b>!</b>		
Onina	Dec. 20-26. Jan. 22-28.			Nov. 16-30, 1921: 1 case.

# Reports Received from December 31, 1921, to April 14, 1922—Continued. SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Great Britain:	-			
Manchester Nottingham	Jan. 1-7 Dec. 4-31	18		4.044
Do	Dec. 4-31. Jan. 8-28. Jan. 17-23.	. 3		
Swansea	Jan. 17-23	. 2		Imported on vessel from Persian Gulf.
Haiti	D	·[ <u>,</u>	-	Jan: 22-Mar. 18, 1922: A few cases.
Cape Haitien	Dec. 11-24	8 21	1	1
Port au Prince	Dec. 11-31	2	.	Present.
DoIndia	Jan. 13-21	1	1	Oct. 2-8, 1921: Deaths, 28. Oct.
Bombay	Oct. 23-Dec. 31 Jan. 1-Feb. 4	3 5	2	23-Nov. 19, 1921: Deaths, 266.
Do Calcutta	Nov: 13-Dec. 31	37	28	Nov. 27-Dec. 31, 1921: Deaths, 533.
Do Karachi	Jan. 1-Feb. 18 Nov. 11-Dec. 31	100 28	92	
Do	Jan. 1-Feb. 25	52	33	
Madras Do	Nov. 13-Dec. 31 Jan. 1-Feb. 25	183 511	59 176	
Rangeon	Oct. 1-Dec. 31	6		
DoIndo-China:	Jan. 15-Feb. 11	63		
Saigon	Dec. 18-24.	1	1	City and district.
Italy:	Jan. 8-21	4	1	<b>Do.</b>
Catania	Feb. 20-26	1		In Province.
Genoa	Nov. 10-20	1		
Messina	Nov. 28-Dec. 4	1		
Pettineo Venice	Nov. 14-Dec. 4 Jan. 30-Feb. 5	2 2		
Japan:		3		
KobeTaiwan Island	Jan. 23–29. Dec. 1–31.	2	1 1	
Do	Feb. 14-20 Jan. 9-29	1 3	1	Corrected report
Yokohama	Jan. 3-29	•		Corrected report.
East Java— Soerabaya	Jan. 1-7	4		
West Java—			;	1
BandeengBatavia	Nov. 18-Dec. 8 Nov. 18-Dec. 22	2 11	9	City and Province.
Do	Dec. 30-Jan. 26	3	3	In Province: Cases, 23: deaths, 4:
Buitenzorg.  Krawang	Nov. 25-Dec. 8 Nov. 18-24.	7	1	13 cases, with 3 deaths, not locally stated. Feb. 3-9, 1922:
Lebak	Nov. 18-Dec. 8	7	4	Cases, 10; deaths, 1.
Pandeglang Tangerang	Nov. 25-Dec. 1 Nov. 18-Dec. 8	5	1	
Liberia:	, i			Present at Lower Buchannan.
Grand Bassa County  Mesopotamia:	Nov. 30			
Bagdad	Oct. 1-Nov. 30	117	50	Epidemic with high mortality November, 1921.
Mexico:	_			11010111001, 1021.
Chihuahua Do	Dec. 5–11 Jan. 23–Feb. 19		1 2	•
Guadalajara	Nov. 1-Dec. 31	6		
Do	Jan. 1-31 Nov. 20-Dec. 31	1:1 64	2	Including municipalities in Fed-
				eral District.
Do	Jan. 1-Feb. 18 Jan. 29-Feb. 4	107	·····i	Do. From San Salvador, Zacatecas.
Saltillo. San Luis Potosi.	Dec. 18-24.		2	•
Do	Jan. 8-Mar. 18 Dec. 1-31	134	12	•
Do Newfoundland:	Jan. 1-Feb. 28		82	
St. Johns	Feb. 4-10	1		
Nicaragua:	Mar 5			Present.
ManaguaPalestine:	Mar. 5			I I GOOLIE.
Jerusalem Panama:	Jan. 10-Feb. 20	27		
Bocas del Toro Province-				
Sursuba	Jan. 18-Feb. 8	11	'	Village 24 miles from Almirante.

### Reports Received from December 31, 1921, to April 14, 1922—Continued.

#### SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Panama—Continued.				
Chiriqui Province	Dec. 22		.	Present.
Do	Jan. 26			Present with center of prevalence
				Bajo, Jan. 22-Mar. 23, 1922, 50 admissions to lazaretto; or Mar. 20, 1922, 16 appendix mall
Panama	Dec. 14	1		pox, confluent type. On Dec. 21, 1921: 1 additiona case from country district o Sabanas admitted to hospital
Peru:				Total admissions, Jan. 1-Dec. 21, 1921, 207.
reru: , Lima	Nov. 1-Dec. 31	-	3	1
Poland	Nov. 1-Dec. 31			Aug. 14-Dec. 31, 1921: Cases, 578. deaths, 146. Exclusive of Brest-Litovsk, Minsk, and Wilno districts.
Portugal:				
LisbonDoPortuguese East Africa:	Nov. 13-Dec. 31 Jan. 1-28	48 46	12	
Lourenco Marques Portuguese West Africa: Angola—	Oct. 1-Nov. 5	2	4	
Loanda	Oct. 9-Dec. 31 Jan. 1-14		7	
Do	Jan. 1-14		3	
Rumania: Bucharest Chisinau	Nov. 1-30 Dec. 1-31	33	33	
Russia:		00		
Esthonia	Oct. 1-Dec. 31	38		•
Latvia	do	75		
Do Senegal:	Jan. 1-31	15		
Dakar Serbia:	1	2		
Belgrade	Oct. 2-Nov. 26 Oct. 23-Nov. 5	16 1	4	
Bangkok Spain: Barcelona	Jan. 8-14		1	14 t
Huelva	Oct. 1-Dec. 31		3	
Malaga	Nov. 1-Dec. 31 Jan. 1-31		60 8	
DoSevilleDo	Nov. 16-Dec. 31	• • • • • • • •	7	
Do	Jan. 8-Mar. 11		33	•
Valencia	Jan. 22-Mar. 4	3		
Straits Settlements: Singapore Do	1	49 50	13 18	
Switzerland: Glarus, Canton	1 1	. 30	10	Epidemic.
Lucerne	Feb. 1-28	12		, · · •
St. Gall	Feb. 12-18	1		In edicinity
Zurich Syria: Adana	do	2		In vicinity.  Present.
Do	Jan. 1-14			Do.
Aleppo	Dec. 18-24			Do.
Do	Jan. 1-Mar. 4			Do. Do.
Alexandretta	Oct 9-Nov 13	٠٠٠٠٠ ج	2	
Beirut	Oct. 9-Nov. 13 Jan. 8-Feb. 25	20	9	Dec. 29, 1921-Jan. 4, 1922: Cases, 14; deaths, 2.
Cilicia	Jan. 8- Feb. 4			Present. Do.
Diarbekir	Jan. 1—Feb. 4			Do
Mersina	Dec. 18-24			Do.
Do	Jan. 1-7			Do. Do.
Urfa Do Tunis:	Jan. 8-Feb. 4			Do. Do.
Tunis: Tunis Do	Nov. 26-Dec. 23	17	15	· · · · · · · · · · · · · · · · · · ·
	Tan 1 Pak	4	5	

## Reports Received from December 31, 1921, to April 14, 1922—Continued. SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Turkey:				
Constantinople				
Union of South Africa	Jan. 15-Mar. 11		17	Nov. 1-Dec. 31, 1921: Cases, 326
Chian of South Anto		1	1	deaths, 6 (colored). White, 10 cases.
Cape Province	Nov. 5-Dec. 31	·	· ·····	Outbreaks. Nov. 1-Dec. 31, 1921: Cases, 42; deaths, 1 (colored).
Do Natal				Outbreaks.
Orange Free State	Oct. 23-Dec. 24	ļ		Outbreaks. Nov. 1-Dec. 31, 1921 Cases, 209; deaths, 5 (colored) Outbreaks. Nov. 1-Dec. 31,1921:
Do	Feb 5-11	1	1	cases, 8 (colored). Outbreaks.
Southern Rhodesia	Dec. 29-Feb. 15	69		Outbreaks.
Transvaal	Uct. 23-Dec. 31			Outbreaks
Do	Jan. 1-Feb. 11			Outbreaks. December, 1921 Cases, 15. Nov. 1-Dec. 31 1921: Cases, 22 (colored) Among white population, 8
		l '	1	cases, State not designated.
Johannesburg District.	Dec. 1-31			
Do	Jan. 1-7			Outbreaks.
Yugoslavia Bosnia Herzegovina		·····	.	July 3 <sub>5</sub> 30, 1921: Cases, 37.
Croatia Slavonia	July 3-9	2		
Dolmatia	4.	1 .		
Serbia. Serbia. Belgrade. Do. Slavonia. Voivodina.	do	l ŝ		•
Belgrade	Dec. 11-17	4		1
Do	Jan. 1-Feb. 18	6		t
Siavonia	July 3-9	1		1
On vessel: S. S. Victoria		3 1	1	AA Mhaardan Taland Oosaa dha
				At Thursday Island Quarantine, Australia; vessel left Hong- kong Jan. 3; case isolated, Jan. 10. Vessel left for Towns- ville, Sydney, and Melbourne. Released at Melbourne Feb. 4,
S. S. West O'Rowa	Jan. 5-8	3	1	1922. At Kobe, Japan, from Shanghai, China.
s. s. —	Jan. 17-23	2		At Swansea, Wales, from Persian Gulf.
	TYPHUS	FEVE	R.	
Algeria:				
Algiers	Nov. 1-Dec. 31	3		•
Do	Jan. 11-Feb. 28	3		
OranDo	Dec. 21-31	1		
Asia Minor:	Jan. 1-3181. 10	13	4	•
Brousa	Jan. 15-21	1		*
Vienna	Dec. 4-31	10		
Do	Jan. 1–28.	9	1	-
La Paz Do Bulgaria:	Aug. 1-Dec. 31 Jan. 1-31	121 15	98 12	
Sofia	Dec. 18-24 Feb. 12-18	1		
Chile:	Nov. 22-Dec. 26		3	
Do	Jan. 3-30		ž į	
TalcahuanoValparaiso	Jan. 29-Feb. 18 Oct. 23-Nov. 26	3	6	
Do,	Jan. 1-7		1	
Antung	Dec. 28-Jan. 1	1		
_ Do	Feb. 6-12	i		
Harbin	Nov. 7-Dec. 25	12		
Do	Dec. 26-Feb. 19	20		Jan. 23, 1922: Reported extend- ing from Soviet Russia, along
1	l	1	ı	railway line to maritime prov- inces.

# Reports Received from December 31, 1921, to April 14, 1922—Continued. TYPHUS FEVER—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Czechoslovakia: Prague Danzig (free city)	Jan. 22-Feb. 18 Feb. 23	3 1		In district, at Zeppot. In mer- chant from Warsaw.
Egypt: Alexandria Do Cairo Do	Nov. 19-Dec. 31 Jan. 15-Feb. 25 Oct. 1-Dec. 31 Jan. 1-14	3 17 18 3	1 5 14 2	
Port Said. Finland: Helsingfors.	Jan. 22-Feb. 11 Jan. 1-31	1		In courier from Moscow.
Germany: Breslau Do. Frankfort-on-Oder	Dec. 25-31. Jan. 1-Feb. 5 Feb. 16	2 55 26	8	Including district. In persons returning from Russia.
Hamburg	Dec. 11-17 Dec. 25-31	1		
Saloniki	Jan. 23-29 Jan. 15-28	1 3	1	
Mesopotamia: Bagdad Mexico:	Oct. 1-Dec. 31	3	9	Including municipalities in Table
Mexico City  Do San Luis Potosi	Jan. 1-Feb. 18 Dec. 18-24	242 169	1	Including municipalities in Federal District. Do. Dec. 25-31, 1921: Present.
Do	Jan. 8-Feb. 25 Dec. 27-Mar. 13	11		Present. One death.
Poland				Aug. 14-Nov. 5, 1921: Cases, 2,399; deaths, 173. Nov. 6-Dec. 3, 1921: Cases, 1,512; deaths, 105. Nov. 20-Dec. 10, 1921: Cases, 1,162; deaths, 89. Dec. 4-31, 1921: Cases, 3,600; deaths,
District— Bialystok Do	Nov. 20-Dec. 10 Jan. 1-7	116 253	3	Cases, 1,162; deaths, 89. Dec. 4-31, 1921: Cases, 3,600; deaths, 313. Jan. 1-7, 1922: Cases, 1,322. All statistics are exclusive of Brest-Litovsk, Minsk, and Wilno districts.
Galicia— Lemberg Kielce	Jan. 3 Nov. 20-Dec. 10 Jan. 1-7	229 31 28	8	Jan. 1-7, 1922: Cases, 61.
KrakowDoLodz	Nov. 20-Dec. 10 Jan. 1-7 Nov. 20-Dec. 10	45 53 67 41	6	
Do	Jan. 1-7 No♥. 20-Dec. 10 Jan. 1-7 Nov. 20-Dec. 10	59 147 121	16	
Nowogrod	dodoJan. 1–7do	249 83 450	15 5	
Stanislawow Do Tarnopol	Nov. 20-Dec. 10 Jan. 1-7 Nov. 20-Dec. 10	88 <b>54</b> 86	8 17	
Dō. Volhynia Do. Warsaw	Jan. 1-7	28 89 107 81	4	
Do	Jan. 1-7. Nov. 20-Dec. 10 Jan. 1-7	32 47 67	5	
Portugal: Oporto	Jan. 8-Mar. 11 Nov. 1-30	22 3	2	•
Chisinau	Nov. 1-Dec. 31	28		Dec. 1-31, 1921: Recurrent typhus, cases, 19. Nov. 23-Dec. 10, 1921: In Soviet Russia, cases, 7,681.
Esthonia	Oct. 1-Dec. 31 Jan. 1-31	53 36		Russia, cases, 7,681. Recurrent typhus, 29 cases.

### Reports Received from December 31, 1921, to April 14, 1922—Continued.

TYPHUS FEVER-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Russia—Continued.				(Compated remark) Oct - 57
LatviaLibau	do	841		(Corrected report) Oct. 1-Nov
Perm Saratov District—	Nov. 23-Dec. 10	1,408		30, 1921: Cases, 127. Oct. 1-31, 1921: Cases, 839; No 1-30, 1921: Cases, 2,389. Sept. 1-Dec. 31, 1921: Cases, 1,98
Markstadt				Sept. 1-Dec. 31, 1921: Cases, 1,98   mortality, about 10 per cen
Serbia: Belgrade Siberia	Oct. 2-Nov. 26	3	ì	hospital cases. Jan. 23, 1922: Present in wester
Chita	Dec. 26	l		districts. Epidemic.
ChitaVladivostok			1	Epidemic.
Spain:				
Madrid		1 2		
Svria:		_		
Diarbekir	Mar. 5-11	<b></b>		
Mardin Funis:	do			Do.
Tunis	Feb. 5-Mar. 4	3	3	_
Turkey:				-
Constantinople	Nov. 20-Dec. 31	19 85		
nion of South Africa	Jan. 1-Mai. 11			Nov. 1 - Dec. 31, 1921; Case
				Nov. 1 - Dec. 31, 1921: Case 1,368; deaths, 205 (colored White, 20 cases; deaths, 4.
Cape Province				White, 20 cases; deaths, 4.
				Oct. 23 - Dec. 24, 1921: Ou breaks. Nov. 1-Dec. 31, 192 Cases, 1,053; deaths, 158 (co ored). Among white popul- tion, 19 cases, 3 deaths. Jan. 1-Feb. 11, 1922: Outbreak One death in European at Jer
Do East London	Oct. 30-Dec. 24	3		One death in European at Jer
				senville, Dec. 6, 1921.
Do Natal	Jan. 29-Feb. 11	2		Natives. Outbreaks. Stated to be preve
Natai	Nov. 5-Dec. 17			lent only in Newcastle Distric Nov. 1-Dec. 31, 1921: Case
Orange Free State	Nov. 12 Dec. 21			135; deaths, 25 (colored). Outbreaks. Nov. 1 - Dec. 3
Orange Free State	NOV. 13-Dec. 31	•••••	•••••	1921: Cases. 158; deaths. 2
_				(colored).
Do Durban			• • • • • • • • • • • • • • • • • • • •	Outbreaks. Imported.
Transvaal	Jan. 8-Feb. 11			Outbreaks. Nov. 1 - Dec. 3
_				1921: Cases, 35; deaths, (colored). White, one case
Johannesburg District	i		4	one death.
Maracaibo	Dec. 20-26		1	Tul. 0.00 1001. Garage 50
ugoslaviaBosnia Herzegovina Croatia—	July 3-9			July 3-39, 1921: Cases, 13.
Zagreb Montenegro	Jan. 1-Feb. 25	3		•
Montenegro	July 3-9	3		

#### YELLOW FEVER.

		İ	1	
Mexico				Year 1921: Cases, 115; deaths, 53.
Colima (State)				Year 1921: Cases, 7; deaths, 4.
Colima			3	
Manzanillo		3	1	
Jalisco (State)				Year 1921: Cases, 13; deaths, 7.
Guadalajara			1	Imported.
Puerta Vallarta (Las		13	. 5	Jii por vous
Penas).	oct. o Dat. II			
Do	Jan. 31		1	
Tonila	Aug. 31		1	
	.xug. 01	•	•	
Quintana Roo (Territory)—	A 0			
Payo Obispo			1	TT 1001- G 10- d4h 0
Sinalog (State)				Year 1921: Cases, 18; deaths, 9.
Culiacan		4	1	
Guamuchil		1		
Mazatlan	Aug. 21	1	1	Imported.
Palmar de los Leales	Sept. 30	12	7	<u>-</u> . •
	-			

## Reports Received from December 31, 1921, to April 14, 1922—Continued. YELLOW FEVER—Continued.

#### Deaths. Place. Date. Cases. Remarks. Mexico-Continued. Year, 1921: Cases, 1; deaths, 1. Tamaulipas (State)..... Jan. 11..... Tampico...... Vera Cruz (State)..... 1 1 Year 1921: Cases, 75; deaths, 31. June 21.. i 4 Oil camp. July 3... July 18... 1 1 5 Sept. 22 July 18. Oct. 28. 36 Cordoba...... Cosamaloapam..... 14 Nogales..... 1 1 Orizaba.....Papantla..... 1 3 Jan. 14.. 6 Papanta Providencia. Purga. Rancho de Santa Rosa. Rancho "El Jaguey". San Pablo (Papantla). San Ildefonso. Oct. 28... 3 Feb. 7.... 1 1 Oct. 8.... $\frac{2}{2}$ 2 Sept. 14... Sept. 12..... Oct. 17... 2 Tierra Blanca..... Sept. 24-Nov. 12... 3 Tlacotalpan..... Sept. 14..... Tuxpam..... Vera Cruz..... Jan. 3..... Two of these cases imported Dec. 20-26, 1921: Cases, 1; deaths, 1. Imported. Jan. 15..... 18